



SAFETY  
& PPE

SWP 



Delivers ...

Quality ✓

Value ✓

Service ✓

Head Office Sales  
Tel: **01420 588180**  
Fax: **01420 588184**  
Email: **sales@swp.uk.net**

Northern Depot Sales  
Tel: **01942 719930**  
Fax: **01942 729937**  
Email: **airsales@swp.uk.net**

# Contents

---

|                               |  |         |
|-------------------------------|--|---------|
| <b>Powered Air Systems</b>    | SWP and Kimberly-Clark   | 296-301 |
| <b>Auto Darkening Helmets</b> | SWP and Kimberly-Clark   | 302-310 |
| <b>Hearing Protection</b>     | Ear Defenders, Earplugs  | 311     |
| <b>Head Protection</b>        | Headscreens and Handscreens  | 312-313 |
|                               | Lenses   | 314     |
|                               | Hard Hats, Caps – Kromer and SWP   | 315     |
| <b>Face Protection</b>        | Browguards and Visors  | 316-317 |
| <b>Eye Protection</b>         | Safety Spectacles  | 318-323 |
|                               | Safety Goggles   | 324-327 |
|                               | Lens Cleaning  | 327     |
| <b>Respiratory Protection</b> | Dust Masks   | 328     |
| <b>Hand Protection</b>        | Premium Range Gloves and Gauntlets   | 329     |
|                               | Riggers and Industrial Gloves  | 330     |
|                               | Weldas Gloves  | 331     |
|                               | Kimberly-Clark Gloves and Sleeves  | 332-333 |
| <b>Protective Clothing</b>    | High Visibility Garments, Flame Retardant Boiler Suit and Hoods, Knee Pads | 334     |
|                               | Premium Leather Range  | 335     |
|                               | Leather Aprons   | 336     |
|                               | Leather Jackets, Trousers, Sleeves and Gaiters                             | 337     |
|                               | Kimberly-Clark Product Selector and Coverall Range                         | 338-341 |
| <b>Workplace Protection</b>   | Welding Curtains, Frames and Rings, Welding Booth                          | 342     |
| <b>Hazard Protection</b>      | Welding Shelter, Blankets, Cushion and Welding Backing Tape                | 343     |
| <b>Safety Footwear</b>        | uvex Boots   | 344     |

# PAPR Head Protection



EN 12941

## SWP WELDING HELMET & PAPR COMBINATION

The Proline PAPR unit offers welders comfort and protection with continuous, automatically variable air flow control – 165-200-230 l/min. With a TH2 protection factor, the Proline PAPR is suitable for most welding applications.



# PROLINE PAPR

SAFETY  
& PPE

- Automatic Variable Flow Rate
- Auto shutdown if unused for 30 minutes
- TH2 PRSL protection
- Li-on battery gives 4-8 hours use
- 3-4 hours recharge
- Liquid Crystal Display
- Warning light and audio alarm for:  
Filter Block, Battery and Overheating



The Proline PAPR System is supplied with a carrying bag – ideal for transportation and storage of spare parts

### PROLINE PAPR

| PART NO. | DESCRIPTION         |
|----------|---------------------|
| 3044     | Proline PAPR System |

### PROLINE PAPR – Assembly and Spares

| PART NO. | DESCRIPTION                          |
|----------|--------------------------------------|
| 3044HELM | Helmet Shell complete with Face Seal |
| 3044SEAL | Face Seal                            |
| 3044BAND | Air Duct/Headband                    |
| 3020     | Inner Protection Lens                |
| 3024     | Outer Protection Lens                |
| 3039CRAD | ADF Cradle                           |
| 3039     | Auto-Darkening Filter (ADF)          |
| 3044BLOW | Turbo Unit                           |
| 3044COV  | Filter Cover                         |
| 3044GAU  | Gauze Filter – Each                  |
| 3044PRE  | Pre Filter – Pack of 5               |
| 3044P2   | P2 Filter – Each                     |
| 3044TEST | Air Flow Tester                      |
| 3044BAT  | Rechargeable Battery                 |
| 3044CHA  | Battery Charger                      |
| 3044HOSE | Breathing Hose                       |
| 3044COV  | Breathing Hose Cover                 |
| 3044BLT  | Waist Belt                           |
| 3044HARN | Shoulder Harness                     |
| 3044BAG  | Carrying Bag                         |

Head Office Sales: Tel: **01420 588180** Fax: **01420 588184** Email: **sales@swp.uk.net**

Northern Depot Sales: Tel: **01942 719930** Fax: **01942 729937** Email: **airsales@swp.uk.net**

## WH70 PREMIUM WELDING HELMET & PAPR COMBINATION

The lightweight WH70 helmet offers an aerodynamic shell designed for better fume deflection and a smooth rounded perimeter for increased comfort. Protective lenses are easily removed for replacement or cleaning. Curved front cover lens reduces heat and spatter build-up, light reflections and fogging.



- Conforms to EN 12941: 2009 for a TH3 PSL R classification for reusable filtration against both solid and liquid particles at 99.8% efficiency
- Two Speed Flow rate 160-210 LPM
- Operating time up to 10 hours
- Robust, compact and quiet unit with a max noise level of 70 dB
- Quick rechargeable Li-Ion battery (14.4 V/2.6 Ah)
- PAPR set includes unit with filter, belt, hose, air flow indicator, battery and battery charger
- Weight 980g, thickness 65mm
- Audio, visual, and vibration alarm for low battery and low airflow

For R60 Airmax Elite PAPR Blower System spares - see page 301

SAFETY  
& PPE

### WH70 PAPR HEADTOPS

| PART NO. | DESCRIPTION                               |
|----------|---|
| J5225    | WH70 PAPR Headtop c/w Grand GDS Cartridge |
| J5227    | WH70 PAPR Headtop c/w Grand ES Cartridge  |

### WH70 PAPR HEADTOPS – Assembly and Spares

| PART NO. | DESCRIPTION                                  |
|----------|--|
| J8570    | WH70 Headgear                                |
| J5233    | Concept Hard Hat, Black                      |
| J5234    | Hard Hat Adaptor Set                         |
| J9931    | Front Cover Lens 147 x 125mm – Pack of 10    |
| J9932    | Inner Cover Lens 107.5 x 71.5mm – Pack of 10 |
| J5238    | Face Seal Standard                           |
| J9933    | Face Seal Flexi                              |

# PAPR Head Protection

EN 12942 / EN175 & EN 379

## WH50 MULTIVIEW WITH 2400 LENS

The WH50 Multiview brings a new concept to welding head protection by offering IRUV5 Shade 5 side windows to enable you to be more aware of nearby moving machinery and other peripheral hazards. Also available without side windows (blocked), the WF50 is specifically designed to be used with the R60 AIRMAX PAPR – allowing the user to weld safely and comfortably.



### WH50 WITH 2400 LENS c/w R60 AIRMAX PAPR

| PART NO. | DESCRIPTION                               |
|----------|---|
| 3050MV   | WH50 Multiview + 2400 Lens c/w R60 Airmax |

### WH50 WITH 2400 LENS – Assembly and Spares

| PART NO. | DESCRIPTION                            |
|----------|--|
| J5012    | WH50 Multiview Carbon Helmet           |
| J8187    | Solex 2400 Filter Shade 4/9-13         |
| J5200    | Airmax c/w Battery, P3 Filter and Hose |
| J5260    | Airmax Headgear                        |
| J5452    | Airmax Multiview Face Seal             |
| J8338    | Anti-Spatter Lens 90 x 147mm (Pkt 10)  |
| J8302    | Inner Lens 51 x 108mm (Pkt 10)         |

For further R60 Airmax Spare Parts see page 301

## WH50 MULTIVIEW WITH 2400 LENS AND GRINDING VISOR

The WH50 Multiview, combined with the Grinding Visor, offers versatile three-in-one head protection when connected to the R60 AIRMAX PAPR. This unique combination offers comfort, freedom of movement and maximum protection in a wide variety of confined space and open environment applications. In addition to the above, the visor is approved to EN 166.



### WH50 WITH 2400 LENS AND VISOR c/w R60 AIRMAX PAPR

| PART NO. | DESCRIPTION                               |
|----------|---|
| 3051MV   | WH50 + 2400 Lens and Visor c/w R60 Airmax |

### WH50 WITH 2400 LENS AND VISOR – Assembly and Spares

| PART NO. | DESCRIPTION                            |
|----------|--|
| J5014    | WH50 Multiview c/w Visor               |
| J8187    | Solex 2400 Filter Shade 4/9-13         |
| J5200    | Airmax c/w Battery, P3 Filter and Hose |
| J5260    | Airmax Headgear                        |
| J5252    | Clear Visor                            |
| J5251    | Clear Visor Face Seal                  |
| J8338    | Anti-Spatter Lens 90 x 147mm (Pkt 10)  |
| J8302    | Inner Lens 51 x 108mm (Pkt 10)         |

For further R60 Airmax Spare Parts see page 301

## WH40 ELEMENT

The WH40 Element (formerly Predator) welding helmet is certified to work with the R60 AIRMAX PAPR with its over the head air delivery system for improved weight distribution.



### WH40 WITH R60 AIRMAX PAPR

| PART NO. | DESCRIPTION               |
|----------|---------------------------|
| 3050EL   | WH40 Element + R60 Airmax |

### WH40 WITH 2400 LENS – Assembly and Spares

| PART NO. | DESCRIPTION                            |
|----------|--|
| J5019    | WH40 Element c/w 4/9-13 ADF Lens       |
| J8190    | Variable Filter Shade 4-9/13           |
| J5200    | Airmax c/w Battery, P3 Filter and Hose |
| J5260    | Airmax Headgear                        |
| J5452    | WH40 Element Face Seal                 |
| J8328    | Inner Lens 47 x 103mm (Pkt 10)         |
| J8301    | Anti-Spatter Lens 97 x 110mm (Pkt 10)  |

For further R60 Airmax Spare Parts see page 301

## WH40 ELEMENT WITH GRINDING VISOR

The Element WH40 PAPR Head Top is a combined variation for grinding and welding activities that require respiratory protection. It is certified to work with the R60 AIRMAX PAPR with its over the head air delivery system for improved weight distribution. In addition to the above, the visor is approved to EN 166.



### WH40 WITH R60 AIRMAX PAPR

| PART NO. | DESCRIPTION                         |
|----------|-------------------------------------|
| 3050ELV  | WH40 Element + R60 Airmax and Visor |

### WH40 WITH 2400 LENS – Assembly and Spares

| PART NO. | DESCRIPTION                               |
|----------|---|
| J5009    | WH40 Element c/w External ADF Lens 4/9-13 |
| J8190    | Variable Filter Shade 4-9/13              |
| J5200    | Airmax c/w Battery, P3 Filter and Hose    |
| J5260    | Airmax Headgear                           |
| J5252    | Clear Visor                               |
| J5251    | Clear Visor Face Seal                     |
| J8328    | Inner Lens 47 x 103mm (Pkt 10)            |
| J8301    | Anti-Spatter Lens 97 x 110mm (Pkt 10)     |

For further R60 Airmax Spare Parts see page 301

# PAPR Head Protection

EN 12942 / EN175 & EN 379

## WH30 ALBATROSS WITH 2400 LENS

The Albatross WH30 is a low weight yet tough PAPR and welding helmet combination designed for grinding and welding activities and is CE certified for B rated (EN 175 and EN 166) impact resistance. It features an easy to replace filter holding mechanism for a wide range of mineral glasses and ADFs and is fitted with a practical welding filter flip-up holder to complement the eye protection provided by a large face shield.



### WH30 ALBATROSS WITH 2400 LENS c/w R60 AIRMAX PAPR

| PART NO. | DESCRIPTION                                     |
|----------|---|
| 3051AL   | WH30 Albatross and 9-13 ADF Lens c/w R60 Airmax |

### WH30 WITH 2400 LENS – Assembly and Spares

| PART NO. | DESCRIPTION                            |
|----------|--|
| J5036    | WH30 Albatross c/w 4/9-13 ADF Lens     |
| J5200    | Airmax c/w Battery, P2 Filter and Hose |
| J8354    | WH30 Outer Protection Lens 107 x 87mm  |
| J8353    | WH30 Visor Clear Lens                  |

For further R60 Airmax Spare Parts see page 301

## F50 PAPR VISOR

The F50 PAPR visor is a value powered air headtop specifically designed for grinding activity in confined areas where a head and face protection and clean air combination is paramount. The full face, high impact polycarbonate visor offers excellent front and peripheral vision for added protection and confidence. When attached to the R60 AIRMAX PAPR and activated, fresh air is delivered to demist the faceshield via the plenum for comfortable full shift wearing. Approved to EN 166. Rated B for impact resistance.

SAFETY & PPE



### F50 PAPR VISOR

| PART NO. | DESCRIPTION                   |
|----------|-------------------------------|
| 3049TLV  | F50 PAPR Visor c/w R60 Airmax |

### F50 PAPR VISOR – Assembly and Spares

| PART NO. | DESCRIPTION                            |
|----------|--|
| J5261    | F50 PAPR Visor c/w Headgear Airduct    |
| J5260    | Airmax Headgear                        |
| J5252    | Clear Visor                            |
| J5251    | Clear Visor Face Seal                  |
| J5200    | Airmax c/w Battery, P3 Filter and Hose |

For further R60 Airmax Spare Parts see page 301



## R60 AIRMAX® POWERED AIR PURIFYING RESPIRATOR SYSTEM

A battery powered respiratory unit designed to fit the Jackson Headtops and Welding Helmets range, the R60 AIRMAX provides clean, filtered air for increased comfort and safety. The unit is delivered complete with an 8-hour battery, intelligent charger, TH2 P SL filter, comfort pad, waist belt and an air hose with a Proban hose cover fitted. The unit is equipped with a low-flow alarm – triggering an audible signal when the filter is blocked, or the battery power is running low. The complete system is comfortable, lightweight and durable. *NB – Battery requires 5 hours and never more than 8 hours charge before first use to avoid overheating.*

### Features

- TH2 P SL filter
- Lightweight – only 936gm including reusable P SL filter
- Flow rate of minimum 170 lpm lasts an 8-hour shift
- Belt and Proban® covered hose for added protection and long life
- Quality ABS strong and durable plastic
- Removable Li-ion battery
- Buried on/off switch
- P R SL filter design maximises filtration surface complete with built in spark deflector
- Bayonet coupling ensuring tight connection
- Loud acoustic alarm
- 18 month limited warranty from date of manufacturing
- Conforms to EN 12941 – classification: TH2 P SL



### R60 AIRMAX PAPR SYSTEM

| PART NO. | DESCRIPTION          |
|----------|----------------------|
| J5200    | Complete Blower Unit |

### R60 AIRMAX PAPR SYSTEM – Assembly and Spares

| PART NO. | DESCRIPTION             |
|----------|-------------------------|
| J5210    | Airmax TH 2 P SL Filter |
| J5220    | Airmax Battery          |
| J5230    | Airmax Battery Charger  |
| J5240    | Airmax Hose             |
| J5241    | Airmax Hose Cover       |
| J5242    | Airmax Waist Belt       |
| J5462    | Airmax Sweatband        |

## R60 AIRMAX® ELITE WELDING POWERED AIR PURIFYING RESPIRATOR SYSTEM



### R60 AIRMAX ELITE

| PART NO. | DESCRIPTION                                 |
|----------|---|
| J5205    | R60 Airmax Elite Welding PAPR Blower System |

### R60 AIRMAX ELITE – Assembly and Spares

| PART NO. | DESCRIPTION                                      |
|----------|--|
| J5223    | Elite Battery                                    |
| J5254    | Elite Belt                                       |
| J5255    | Elite Breathing Hose                             |
| J5256    | Elite Battery Charger                            |
| J5257    | Elite P3 Filter – Pack of 2                      |
| J5258    | Elite Combined P3 and Carbon Filter – Pack of 10 |
| J5259    | Elite Pre-Filter for P3 – Pack of 10             |
| J5262    | Elite Spark Arrester/Cover – 2 Units             |
| J5263    | Elite Pre-filter – Pack of 50                    |

SAFETY & PPE

# Head Protection



EN175 & EN 379

## VARIABLE SHADE WELDING HELMET 5-8 / 9-13

Part No. 3049

# PROLINE



- Grinding function with warning flash
- Digital variable shade filter: 5-9 / 9-13
- Cartridge size: 114 x 133 mm
- Viewing area: 100 x 60 mm
- Switching times:  
Light to Dark: 0.08 ms  
Dark to Light: 0.1-0.9 secs
- Four detection sensors offer wider detection of welding arc
- Adjustable Sensitivity/Delay
- Shell 'B' rated for impact protection
- Polycarbonate lens:  
**3021** – 106 x 66 (inner)  
**1482** – 114 x 133 (outer)
- UV/IR protection up to DIN 15
- Tig welding from 5 amps
- Optical classification: 1/2/1/1
- CE EN175 / EN379
- Includes spare lenses and helmet bag
- Low battery warning light



## Go Digital!



### Advanced Headgear

Comfortable foam easily moulds to the head, whilst offering support and stability during prolonged use

Lightweight suspension harness with rotating size adjusters for individual width adjustment

Easy twist adjustment with large nape plate for increased comfort and a secure fit

Head Office Sales: Tel: **01420 588180** Fax: **01420 588184** Email: **sales@swp.uk.net**

Northern Depot Sales: Tel: **01942 719930** Fax: **01942 729937** Email: **airsales@swp.uk.net**

## VARIABLE SHADE WELDING HELMET 9-13

Part No. 3048

# ELIMINATOR XV

- Shade 4-9/13
- Grinding function with warning flash
- Cartridge size: 114 x 133 mm
- Viewing area: 100 x 60 mm
- Switching times:  
Light to Dark: 0.8 ms  
Dark to Light: 0.1-0.9 secs
- Four sensors offer wider detection of welding arc
- Adjustable Sensitivity/Delay
- Polycarbonate lens:  
3021 – 106 x 66 (inner)  
1482 – 114 x 133 (outer)
- Shell 'B' rated for impact protection
- UV/IR protection up to DIN 15
- Tig welding from 5 amps
- Optical classification: 1/1/1/2
- CE EN175 / EN379
- Low battery warning light



## VARIABLE SHADE WELDING HELMETS 9-13

Part No. 3045



Part No. 2362



- Shade 4-9/13
- Grinding function with warning flash
- Cartridge size: 110 x 90 mm
- Viewing area: 97 x 47 mm
- Switching times:  
Light to Dark: 0.8 ms  
Dark to Light: 0.1-0.9 secs
- Shell 'B' rated for impact protection
- Two detection sensors
- Adjustable stepless Sensitivity/Delay
- Polycarbonate lens:  
3020 – 104.7 x 53.8 (inner)  
3024 – 110 x 90 (outer)
- UV/IR protection up to DIN 15
- Tig welding from 5 amps
- Optical classification: 1/1/1/2
- CE EN175 / EN379
- Low battery warning light

**Now  
with  
grind  
function**



**SAFETY  
& PPE**

# Head Protection



EN175 & EN 379

## VARIABLE SHADE WELDING HELMET 9-13

### It's your choice!

- Shade 4-9/13
- Choose from four colours
- Cartridge size: 110 x 90 mm
- Viewing area: 92 x 42 mm
- Switching times:  
Light to Dark: 0.1 ms  
Dark to Light: 0.1-0.9 secs
- Adjustable stepless sensitivity / delay
- Two detection sensors
- Polycarbonate lens:  
1985 – 103.5 x 47 (inner)  
3024 – 110 x 90 (outer)
- Shell 'B' rated for impact protection
- UV/IR protection up to DIN 15
- Tig welding from 5-10 amps
- Optical classification: 1/2/1/2
- CE EN175 / EN379



Part No. 3041



Part No. 3041GRE



Part No. 3041BLU



Part No. 3041RED



Part No. 3042

- Two-year warranty

### PERSONALISE YOUR HELMET! Each helmet comes with 2 x sets of 5 decals

Peel off your favourite self-adhesive vinyl sticker and apply it to your choice of four 3041 coloured welding helmets: Black, Green, Blue or Red



Head Office Sales: Tel: 01420 588180 Fax: 01420 588184 Email: sales@swp.uk.net

Northern Depot Sales: Tel: 01942 719930 Fax: 01942 729937 Email: airsales@swp.uk.net

## FIXED SHADE WELDING HELMET 3/11

Part No. 3040



- Shade 3/11
- Cartridge size: 110 x 90 mm
- Viewing area: 96 x 42 mm
- Switching times:  
Light to Dark: 0.3 ms  
Dark to Light: 0.4 secs
- Two detection sensors
- UV/IR protection up to DIN 15
- Optical classification: 1/1/1/2
- Polycarbonate lens:  
**1985** – 103 x 47 (inner)  
**3024** – 110 x 90 (outer)
- Tig welding from 15 amps

## VARIABLE SHADE WELDING HELMET 9-13

Part No. 3037



- Shade 4-9/13
- Cartridge size: 110 x 90 mm
- Viewing area: 92 x 42 mm
- Switching times:  
Light to Dark: 0.1 ms  
Dark to Light: 0.1-0.9 secs
- Adjustable stepless sensitivity / delay
- Two detection sensors



Part No. 3042

- Tig welding from 5-10 amps
- Polycarbonate lens:  
**1985** – 103 x 47 (inner)  
**3024** – 110 x 90 (outer)
- UV/IR protection up to DIN 15
- Optical classification: 1/2/1/2

## SPARE PARTS FOR SWP AUTODARKENING HELMETS



### 'B' RATED POLYCARBONATE LENSES FOR SWP ADFs

| PART NO. | DESCRIPTION                                       | QTY |
|----------|---|-----|
| 1482     | 114 x 133 mm Outer Lens for 3048, 3049            | 10  |
| 1985     | 103.5 x 47 mm Inner Lens for 3040, 3041           | 10  |
| 3020     | 104.7 x 53.8 mm Inner Lens for 2362, 3045         | 10  |
| 3021     | 106 x 66 mm Inner Lens for 3048, 3049             | 10  |
| 3022     | Outer Lens for previous 3037                      | 10  |
| 3023     | Inner Lens for previous 3037                      | 10  |
| 3024     | 110 x 90 mm Outer Lens for 2362, 3040, 3041, 3045 | 10  |

Part No. 2448  
Premium Sweatband  
Quantity: 1



Part No. 3030  
Headband Fits 3049  
Quantity: 1



Part No. 3029  
Headband Fits 3040, 3041,  
3045, 2362, 3048, 3037  
Quantity: 1



Part No. 3038  
Screw for Fixing Frame for  
3040, 3041, 3045, 3046  
Quantity: 1 pair

# Head Protection

EN 175 & EN 379



## WH70 WELDING HELMET WITH GRAND GDS + GRAND ES

The lightweight WH70 helmet offers an aerodynamic shell designed for better fume deflection and a smooth rounded perimeter for increased comfort. Protection lenses and ADFs are easily removed for replacement or cleaning. Curved front cover lens reduces heat and spatter build-up, light reflections and fogging. WH70 welding helmets are offered with Grand ADC Plus variations that offer the highest **Optical Classification 1/1/1/1** and excellent switching speed of 0.15 ms (at room temperature).



### WH70 WELDING HELMET

#### With Grand GDS + Grind Function

Part No. **J9916**

#### With Grand ES

Part No. **J9915**

- Extra-large 96 x 68.5mm viewing area. 110 x 110mm cartridge size
- Enhanced visibility and true colour recognition
- GDS = External controls that allow easy access for widest shade selection (6-13), grind/weld mode, sensitivity and delay adjustment
- ES = External controls that allow easy access for shade selection (9-13), sensitivity and delay adjustment
- Suitable for grinding – all components are B-rated for impact resistance
- Compatible with R60 AIRMAX\*Plus and R60 AIRMAX\* Elite
- New 375 headgear: super comfort; four horizontal positions; easy to adjust rear wheel (even with gloves); hard hat compatible

**adcplus**  
ANGULAR DEPENDENCE COMPENSATION



#### GRAND GDS

Part No. **J9927**

- 110 x 110mm
- Large viewing area
- Internal shade adjustment range selection
- External shade adjustment 6-8 / 9-13
- External sensitivity adjustment
- External delay adjustment
- External grinding mode



#### GRAND ES

Part No. **J9928**

- 110 x 110mm
- Large viewing area
- External shade adjustment 9-13
- External sensitivity adjustment
- External delay adjustment

SAFETY & PPE

| MODEL                  | GRAND GDS                       | GRAND ES       |
|------------------------|---------------------------------|----------------|
| Viewing Area           | 98 x 68.5mm / 96 x 46.5mm       |                |
| Open State Shade       | 4                               | 4              |
| Closed State Shade     | 6-8 / 9-13                      | 9-13           |
| Shade Adjustment       | Yes / External                  | Yes / External |
| Sensitivity Adjustment | Yes / External                  | Yes / External |
| Delay Adjustment       | Yes / External                  | Yes / External |
| Grinding Mode          | Yes / External                  | No             |
| Switching Time at 23°C | 0-15ms                          | 0-15ms         |
| Clearing Time          | 0.1-1.0s                        | 0.1-1.0s       |
| UV / IR Protection     | UV 16 / IR16                    | UV 16 / IR16   |
| Temperature Range      | -10°C / +60°C                   | -10°C / +60°C  |
| TIG Detection          | Enhanced                        | Enhanced       |
| Energy Supply          | Solar Cells / No Battery Change |                |

Head Office Sales: Tel: **01420 588180** Fax: **01420 588184** Email: **sales@swp.uk.net**

Northern Depot Sales: Tel: **01942 719930** Fax: **01942 729937** Email: **airsales@swp.uk.net**

## WH70 WELDING HELMET – ADVANTAGES



- Improved Visibility in Open State
- Improved Colour Recognition
- World's First ADFs Rated 1/1/1/1 and Class 1 for Angular Dependence Compensation Feature

**OLD TECHNOLOGY**

**Standard Angular Dependence**  
Selected shade  $\pm 10^\circ$

**NEW TECHNOLOGY**

**Improved Angular Dependence**  
Selected shade  $\pm 30^\circ$

## WH70 SPARE PARTS

The WH70 welding helmet and PAPR systems feature ADFs that use ADC (Angular Dependence Compensation) technology to achieve the highest optical requirements demanded by EN regulations. All ADFs are provided with a 5-year warranty.

### WH70 – Assembly and Spares

| PART NO. | DESCRIPTION                      |
|----------|----------------------------------|
| J9927    | ADF Grand GDS ADC Plus           |
| J9928    | ADF Grand ES ADC Plus            |
| J9912    | Welding Helmet WH70              |
| J9913    | Welding Helmet WH70 for EXT ADF  |
| J9930    | Sweat Band/Neck Pad Comfort Set  |
| J9936    | Magnifying Lens Holder           |
| J2741    | Magnifying Lens 1.0 (107 x 51mm) |
| J2743    | Magnifying Lens 1.5 (107 x 51mm) |
| J2745    | Magnifying Lens 2.0 (107 x 51mm) |
| J2747    | Magnifying Lens 2.5 (107 x 51mm) |
| J5254    | Leather Neck Protector           |

# Head Protection

EN 175 & EN 379

## WH50 MULTIVIEW WITH 2400 LENS

The Multiview WH50 brings a new concept to welding head protection, offering URUV5 side windows to enable the wearer to be more aware of nearby moving machinery and other peripheral hazards. This exclusive design makes welding a more comfortable and safer process. The Multiview is also available without side windows (blacked) and is specifically designed to incorporate breathable welding systems – allowing the user to work comfortably with a particulate welding mask or R60 AIRMAX Blower Unit (see page 299).



### WH50 MULTIVIEW

| PART NO. | DESCRIPTION                      |
|----------|----------------------------------|
| J8003    | WH50 Multiview                   |
| J8009    | WH50 Multiview c/w 4/9-12 SM ADF |
| J8024    | WH50 Multiview c/w 4/9-12 TN ADF |

### WH50 MULTIVIEW – Assembly and Spares

| PART NO. | DESCRIPTION  |
|----------|--|
| J8330    | Comfort Band – Black                               |
| J8302    | Inner Protection Lens – 51 x 108 x 1mm (pack 10)   |
| J8338    | Outer Protection Lens – 90 x 147.5 x 1mm (pack 10) |
| J8303    | Inner Protective Lens – 109 x 66 Clear             |
| J8358    | WH50 Multiview Side Windows R&L Blank              |
| J8345    | Welding Lens Retainer Variable ADF                 |
| J8344    | Welding Lens Retainer Variable ADF                 |

## WH40 ELEMENT WITH 2400 LENS

The Element WH40 is a lightweight and robust helmet designed for the professional welder. It is fitted with a Twisted Nematic technology based 4/9-13 ADF with internal controls and screw-in lens retainer system for a more sure fastening. CE certified to EN 379 and EN 166 standards.



### WH40 ELEMENT

| PART NO. | DESCRIPTION                |
|----------|----------------------------|
| J8010    | WH40 Element Silver Helmet |
| J8331    | Headgear Complete          |

### WH40 ELEMENT – Assembly and Spares

| PART NO. | DESCRIPTION                              |
|----------|--|
| J8337    | Comfort Band (pack 5)                    |
| J8301    | Outer Protection Lens 97 x 110 (pack 10) |
| J8302    | Inner Protection Lens 51 x 108 (pack 10) |
| J8328    | Inner Protective Lens 103.5 x 47 clear   |
| J8361    | Front Frame Silver                       |
| J8362    | Front Frame Black                        |
| J8344    | Welding Lens Retainer Variable ADF       |



## WH30 ALBATROSS WITH 2400 LENS

The Albatross WH30 is a low weight yet tough welding helmet designed for grinding and welding activities and is CE certified for B rated (EN 175 and EN 166) impact resistance. It features an easy to replace filter holding mechanism for a wide range of mineral glasses and ADFs and is fitted with a practical welding filter flip-up holder to complement the eye protection provided by a large face shield.



### WH30 ALBATROSS

| PART NO. | DESCRIPTION                                 |
|----------|---|
| J5035    | WH30 Albatross c/w 2400 Lens                |
| J5032    | WH30 Albatross c/w SH10 Passive Lens        |
| J8353    | WH30 Albatross Visor Clear Lens (New Style) |

### WH50 ALBATROSS – Assembly and Spares

| PART NO. | DESCRIPTION  |
|----------|--|
| J8305    | Replacement Clear Visor                            |
| J8331    | Headgear including Nuts, Bolts and Rake Adjustment |
| J8337    | Comfort Band – Black                               |
| J8352    | Flip-up Kit  |
| J8353    | Visor  |
| J8354    | Protective PC Lens 107 x 87mm                      |
| J8330    | Comfort Band – Black                               |



## WH20 ASPIRE ES

Sleek, low profile economy ADF welding helmet, the Aspire ES is one of the lightest helmets in the Jackson global offer.



- 97 x 42mm viewing area. 110 x 90 mm cartridge size
- Shade range 9-13
- External controls for shade selection, sensitivity and delay adjustment
- Total weight 510g (ADF included)



### WH20 ASPIRE ES

| PART NO. | DESCRIPTION                  |
|----------|------------------------------|
| J8049    | WH20 Aspire ES c/w Cartridge |



## EAR DEFENDERS CE Marked, EN 352-1, EN 24869-1



Part No. **1581**  
Ear Defenders SNR 19  
Quantity: 10-60



Part No. **1439**  
Ear Defenders SNR 27  
Quantity: 10-60



Part No. **1623**  
Ear Defender SNR 25  
Quantity: 10-60



Part No. **1585**  
Ear Defenders - Fold Flat SNR 30  
Quantity: 10-60

## EAR PLUGS



Part No. **1620**  
Corded Foam  
Ear Plugs  
Quantity: 200 pairs



Part No. **1621**  
Corded Re-useable  
Ear Plugs  
Quantity: 400 pairs



Part No. **1624**  
Banded Re-useable  
Ear Plugs  
Quantity: 40



Part No. **1586** H10  
Disposable Earplug  
Bulk Pack  
Orange/Regular  
Uncorded  
Quantity: 200 pairs



Part No. **1626**  
H10 Disposable  
Earplug Dispenser  
Black/Universal

SAFETY  
& PPE

## HEADSCREENS & HANDSCREENS - EN175



Part No. **1370**  
Handscreen 4-1/4" x 3-1/4"  
Quantity: 1-75



Part No. **1375**  
Headscreen 4-1/4" x 3-1/4"  
Quantity: 1-35



Part No. **1376**  
Flip Up Headscreen 4-1/4" x 2"  
Quantity: 1-30



Part No. **1701**  
Handscreen 4-1/4" x 3-1/4"  
Boxed Quantity: 1-6



Part No. **1702**  
Headscreen 4-1/4" x 3-1/4"  
Boxed Quantity: 1-6

*Turn your helmet into an auto-darkening helmet!*



Part No. **3043**  
SWP Fixed Shade 11  
Lens 4-1/4" x 3-1/4"  
Quantity: 1

### SPARE PARTS FOR SWP

Part No. **1377**  
Sweatband for 1375/1376  
Quantity: 1

Part No. **1378**  
Spare Headband for 1375/1376/  
1440  
Quantity: 1

Part No. **3070**  
Fixings for 1375/1376 Helmets  
Quantity: 2



Part No. **1713** Part No. **1714**  
Safety Helmet Flip-up Welding Helmet  
Quantity: 1 4-1/2" x 2" Quantity: 1

## JSP HEADSCREENS & HANDSCREENS - BS 1542



Part No. **1681**  
802 Handscreen 4-1/4" x 3-1/4"  
Quantity: 1-15



Part No. **1682**  
910 Handscreen 4-1/4" x 3-1/4"  
Quantity: 1-10



Part No. **1683**  
799 Headshield 4-1/4" x 3-1/4"  
Quantity: 1-10



Part No. **1684**  
63/P Long Shell Headshield  
4-1/4" x 3-1/4" Quantity: 1-10



Part No. **1686**  
Black Minor Headshield  
4-1/4" x 3-1/4" Quantity: 1-10



Part No. **1687**  
Blue Minor Flip Front Headshield  
4-1/4" x 2" Quantity: 1-10




Part No. **1688**  
WF4 Combi Faceshield only  
4-1/4" x 3-1/4" Quantity: 1-30

### SPARE PARTS FOR JSP



Part No. **1691**  
Adjustable  
Headband  
Quantity: 1



Part No. **1689**  
WF8 Flip Up Unit for  
WF4 4-1/4" x 3-1/4"  
Quantity: 1



Part No. **1690**  
4802 Rubber Lens  
Retainer  
Quantity: 1

## WELDING HELMETS



### GAMADOR Flip-up Headshield

Part No. **NO-810400** –  
4-1/4" x 2"  
Part No. **NO-810440** –  
4-1/4" x 3-1/4"  
Part No. **NO-810450** –  
110 x 90 mm  
*Full size helmet with fully  
adjustable headgear and  
flip-up glass holder.  
(Lens not supplied)*  
Quantity: 1



### LAMADOR Flip-up Headshield

Part No. **NO-810500** –  
4-1/4" x 2"  
Part No. **NO-810540** –  
4-1/4" x 3-1/4"  
Part No. **NO-810550** –  
110 x 90 mm  
*Small size helmet with fully  
adjustable headgear and  
flip-up glass holder.  
(Lens not supplied)*  
Quantity: 1

### PROTA SHELL Full Face Helmet

Part No. **1576** –  
Flip Up 4-1/4" x 2"  
Part No. **1577** –  
4-1/4" x 3-1/4"  
Part No. **NO-810910** –  
See right 4-1/4" x 2"  
*Welding helmet made of  
Vulcan-fibre. With fully-  
adjustable headgear.  
Available with different  
sizes of glass holders.*  
Quantity: 1



### PROTA SHELL BABY Cutaway Shell

Part No. **1371** –  
4-1/4" x 3-1/4"  
Part No. **1372** –  
Flip Up 4-1/4" x 2"  
*Particularly suited for use  
in confined spaces.*  
Quantity: 1



## LEATHER HOOD/WELDING GOGGLES COMBINATION

### LEATHER HOODS

Part No. **813000** – 30cm  
Part No. **813010** – XL 45cm  
*Leather mask with flip-up amigo  
welding goggles. Soft vinyl frame  
and integrated side shields with  
50mm lens.*  
Quantity: 1



## SAFETY HELMET/WELDING SHIELD COMBINATION

### GAMADOR COMBI

Part No. **810400.2**  
*Gamador Helmet with flip up holder and 4-1/4" x 2" lens.*  
Quantity: 1  
Part No. **933182**  
*Safety Helmet*  
Quantity: 1



*N.B. Both codes to be ordered for this item*

# Head Protection Spares



EN 166 / EN 169

## SHADED & CLEAR GLASS, POLYCARBONATE & ANTI-SPATTER LENSES



### SHADED LENSES

| PART NO. | DESCRIPTION               | QUANTITY |
|----------|---------------------------|----------|
| 1386     | 2" Diameter Shade 3 Lens  | 10-200   |
| 1387     | 2" Diameter Shade 4 Lens  | 10-200   |
| 1388     | 2" Diameter Shade 5 Lens  | 10-200   |
| 1389     | 2" Diameter Shade 10 Lens | 10-200   |

### CLEAR GLASS LENSES

| PART NO. | DESCRIPTION                | QUANTITY |
|----------|----------------------------|----------|
| 1383     | 2" Diameter Clear Glass    | 10-100   |
| 1409     | 4-1/4 x 2" Clear Glass     | 20       |
| 1411     | 4-1/4 x 3-1/4" Clear Glass | 20-100   |

### POLYCARBONATE LENSES

| PART NO. | DESCRIPTION                       | QUANTITY |
|----------|-----------------------------------|----------|
| 1384     | 2" Diameter Polycarbonate Lens    | 10-100   |
| 1406     | 110 x 97mm Polycarbonate Lens     | 20       |
| 1407     | 4-1/4 x 2" Polycarbonate Lens     | 20       |
| 1410     | 107 x 52mm Polycarbonate Lens     | 20       |
| 1419     | 4-1/4 x 3-1/4" Polycarbonate Lens | 20       |
| 1482     | 4-1/2 x 5-1/4" Polycarbonate Lens | 20       |
| 1426     | 110 x 60mm Polycarbonate Lens     | 20       |
| 1984     | 107 x 50 mm Polycarbonate Lens    | 20       |
| 3036     | 120 x 100 mm Polycarbonate Lens   | 20       |

### CR39 ANTI SPATTER LENSES

| PART NO. | DESCRIPTION                           | QUANTITY |
|----------|---------------------------------------|----------|
| 1385     | 2" Diameter CR39 Anti-spatter Lens    | 10-100   |
| 1408     | 4-1/4 x 2" CR39 Anti-spatter Lens     | 20       |
| 1418     | 4-1/4 x 3-1/4" CR39 Anti-spatter Lens | 20       |
| 1481     | 4-1/2 x 5-1/4" CR39 Anti spatter Lens | 20       |
| 1425     | 110 x 60mm CR39 Anti spatter Lens     | 20       |
| 1448     | 110 x 90mm CR39 Anti spatter Lens     | 20       |

|      |                          |        |
|------|--------------------------|--------|
| 1395 | 4-1/4 x 2" Shade 5 Lens  | 10-100 |
| 1398 | 4-1/4 x 2" Shade 8 Lens  | 10-100 |
| 1399 | 4-1/4 x 2" Shade 9 Lens  | 10-100 |
| 1400 | 4-1/4 x 2" Shade 10 Lens | 10-100 |
| 1401 | 4-1/4 x 2" Shade 11 Lens | 10-100 |
| 1402 | 4-1/4 x 2" Shade 12 Lens | 10-100 |
| 1403 | 4-1/4 x 2" Shade 13 Lens | 10-100 |

|      |                              |        |
|------|------------------------------|--------|
| 1412 | 4-1/4 x 3-1/4" Shade 8 Lens  | 10-100 |
| 1413 | 4-1/4 x 3-1/4" Shade 9 Lens  | 10-100 |
| 1414 | 4-1/4 x 3-1/4" Shade 10 Lens | 10-100 |
| 1415 | 4-1/4 x 3-1/4" Shade 11 Lens | 10-100 |
| 1416 | 4-1/4 x 3-1/4" Shade 12 Lens | 10-100 |
| 1417 | 4-1/4 x 3-1/4" Shade 13 Lens | 10-100 |
| 1485 | 4-1/4 x 3-1/4" Shade 14 Lens | 10-100 |

|      |                              |       |
|------|------------------------------|-------|
| 1476 | 4-1/2 x 5-1/4" Shade 9 Lens  | 10-50 |
| 1477 | 4-1/2 x 5-1/4" Shade 10 Lens | 10-50 |
| 1478 | 4-1/2 x 5-1/4" Shade 11 Lens | 10-50 |

|      |                          |        |
|------|--------------------------|--------|
| 1420 | 110 x 60mm Shade 9 Lens  | 10-100 |
| 1421 | 110 x 60mm Shade 10 Lens | 10-100 |
| 1422 | 110 x 60mm Shade 11 Lens | 10-100 |
| 1423 | 110 x 60mm Shade 12 Lens | 10-100 |

|      |                          |        |
|------|--------------------------|--------|
| 1443 | 110 x 90mm Shade 9 Lens  | 10-100 |
| 1444 | 110 x 90mm Shade 10 Lens | 10-100 |
| 1445 | 110 x 90mm Shade 11 Lens | 10-100 |
| 1446 | 110 x 90mm Shade 12 Lens | 10-100 |
| 1447 | 110 x 90mm Shade 13 Lens | 10-100 |

SAFETY & PPE

Head Office Sales: Tel: **01420 588180** Fax: **01420 588184** Email: **sales@swp.uk.net**

Northern Depot Sales: Tel: **01942 719930** Fax: **01942 729937** Email: **airsales@swp.uk.net**

## SWP HARD HATS - EN 397 & ATTACHMENTS

Part No. **1709**  
Hard Hat - Red  
Quantity: 1-30

Part No. **1712**  
Hard Hat - White  
Quantity: 1-30

Part No. **1711**  
Hard Hat - Blue  
Quantity: 1-30

Part No. **1710**  
Hard Hat - Yellow  
Quantity: 1-30

With slip adjustment headband and a four point plastic suspension harness



Part No. **1708**  
Chinstrap  
Quantity: 1



Part No. **1740**  
Visor Attachment  
Quantity: 1



Part No. **1741**  
Ear Defenders  
Quantity: 1-24



Part No. **1742\***  
Plastic Mesh Visor  
8" x 12"  
Quantity: 1-200



Part No. **1743\***  
Plastic Mesh Visor  
8" x 15-1/2"  
Quantity: 1-200

\* Also fit V-Guard helmets

## SWP CAPS



Part No. **1924**  
Soft Peak, Flame Retardant Cap – Lined – 58cm.



Part No. **1926**  
Camouflage, Elasticated Style Hard Peak Cap  
Flame Retardant – one size fits all.



Part No. **1925**  
Flame Retardant  
Bandana – one size fits all.

## GENUINE KROMER CAPS



| PART NO. | DESCRIPTION                     | QTY |
|----------|---------------------------------|-----|
| 1962     | Kromer Cap - size 7-1/8" / 57cm | 1   |
| 1963     | Kromer Cap - size 7-1/4" / 58cm | 1   |
| 1964     | Kromer Cap - size 7-3/8" / 59cm | 1   |

| PART NO. | DESCRIPTION                     | QTY |
|----------|---------------------------------|-----|
| 1965     | Kromer Cap - size 7-1/2" / 60cm | 1   |
| 1966     | Kromer Cap - size 7-5/8" / 61cm | 1   |
| 1967     | Kromer Cap - size 7-3/4" / 62cm | 1   |

## KROMER WINTER LINER



Part No. **1764**  
Genuine Kromer Flame  
Resistant – Fleece Lined

# Face Protection



EN 166 & EN 171

## POLYCARBONATE FACE SCREENS – NOT SUITABLE FOR WELDING - EN 166



Part No. **1435**  
Clear Face Screen  
8" x 12"  
Quantity: 1



Part No. **1440**  
Spare Browguard  
for Visors  
Quantity: 1



Part No. **1578**  
Coloured Face Screen  
Shade 5  
8" x 15-1/2" x 1.2mm  
Quantity: 1



Part No. **1437**  
Spare Clear Visor  
8" x 12"  
Quantity: 1



Part No. **1580**  
Spare Clear Visor  
8" x 15-1/2"  
Quantity: 1



Part No. **1582**  
Spare Coloured Visor  
Shade 5  
8" x 15-1/2" x 1.2mm  
Quantity: 1

*Note: Above Spare Visors can also be used as attachments for our range of Hard Hats (see previous page)*

## POLYCARBONATE FACE SCREENS – SUITABLE FOR WELDING - EN 166, EN 171



Part No. **1434**  
Coloured Face Screen  
Shade 5  
8" x 12" x 2mm  
Quantity: 1

Part No. **1433**  
Spare Shade 5 Visor  
Quantity: 1



Part No. **1436**  
Coloured Face Screen  
Shade 3  
8" x 12" x 2mm  
Quantity: 1

Part No. **1438**  
Spare Shade 3 Visor  
Quantity: 1



Part No. **1449**  
Clear Visor also available  
(not suitable for welding)  
Quantity: 1



Part No. **1442**  
Spare Browguard for Visors  

- Unique lightweight design
- Ratchet adjustment headgear
- 7-position harness strap – adaptable to any head size
- 3-position crown angle adjustment

 Quantity: 1

Head Office Sales: Tel: **01420 588180** Fax: **01420 588184** Email: **sales@swp.uk.net**

Northern Depot Sales: Tel: **01942 719930** Fax: **01942 729937** Email: **airsales@swp.uk.net**



## HONEYWELL FACE SCREENS



### HONEYWELL BIONIC

A revolutionary face shield designed for rugged jobs. Extremely lightweight and highly adjustable for all-day comfort – it is ideal for workers exposed to impact, chemical splash and airborne debris

| PART NO.           | DESCRIPTION  | MIN. QTY |
|--------------------|--|----------|
| 1011933            | Bionic c/w clear acetate visor                             | 4        |
| 1011624            | Bionic c/w clear polycarbonate fog ban, anti-scratch visor | 4        |
| 1015623            | Bionic c/w clear polycarbonate uncoated visor              | 4        |
| 1015113            | Bionic frame and headband without visor                    | 4        |
| Replacement Visors |  |          |
| 1011625            | Clear, uncoated, polycarbonate visor                       | 10       |
| 1011628            | Shade 3, uncoated, polycarbonate visor                     | 10       |
| 1011629            | Shade 5, uncoated, polycarbonate visor                     | 10       |

### HONEYWELL SUPERVIZOR

Robust, heavy duty helmet mounted faceshield with hearing protection compatibility.



| PART NO.           | DESCRIPTION   | MIN. QTY |
|--------------------|---|----------|
| 1002302            | Helmet-mounted visor holder                           | 10       |
| 1002297            | Browguard with ratchet headband                       | 10       |
| Replacement Visors |   |          |
| 1002310            | Clear, polycarbonate visor (200mm)                    | 10       |
| 1002312            | Clear, polycarbonate visor (230mm)                    | 10       |
| 1002316            | Clear, abrasion-resistant polycarbonate visor (230mm) | 10       |
| 1002328            | Green shade 1.7 visor (230mm) – not for welding       | 10       |



### HONEYWELL CLEARWAYS

Value browguard Clearways offers both strength and durability with economical replacement visors available in acetate or polycarbonate.

| PART NO.           | DESCRIPTION                               | MIN. QTY |
|--------------------|---|----------|
| 1002341            | CB20 Grey browguard with ratchet headband | 10       |
| 1002346            | CB14 Grey browguard with elastic headband | 10       |
| Replacement Visors |   |          |
| 1002360            | Clear, acetate visor (200mm)              | 10       |
| 1002353            | Clear, polycarbonate visor (200mm)        | 10       |
| 1002365            | Green acetate Shade 1.7 visor (200mm)     | 10       |
| 1002369            | Green acetate Shade 3 visor (200mm)       | 10       |
| 1002370            | Green acetate Shade 5 visor (200mm)       | 10       |

# Eye Protection



EN 166 / EN 166 & 169

## SAFETY SPECTACLES – All Eyewear Offers 99.9% UV/B Protection



Part No. 1491 – Clear  
*Wrap Around Lightweight Design, Adjustable Arms and Lens Angle*  
*Anti Scratch/Mist. Cord included*  
Quantity: 12-300



Part No. 1492  
As above – Smoke

Part No. 1494 – Clear  
*Extremely lightweight, outstanding field of vision, exceptional protection. Anti Scratch*  
Quantity: 12-300



Part No. 1495  
As above – Smoke



Part No. 1496  
As above – Amber



Part No. 1498 – Clear  
*Wraparound lens, comfortable lightweight design, rubber nose pads, soft temple tips. Anti Scratch*  
Quantity: 12-300



Part No. 1499  
As above – Smoke



Part No. 1500  
As above – Shade 5



Part No. 1505 – Clear  
*Wraparound lens, adjustable temple length, lightweight frameless design. Anti Scratch*  
Quantity: 12-300



Part No. 1506  
As above – Smoke



SAFETY & PPE

Head Office Sales: Tel: **01420 588180** Fax: **01420 588184** Email: **sales@swp.uk.net**

Northern Depot Sales: Tel: **01942 719930** Fax: **01942 729937** Email: **airsales@swp.uk.net**

**SAFETY SPECTACLES – All Eyewear Offers 99.9% UV/B Protection**

Part No. 1450 – Clear  
*Single piece visitors over spectacle, ergonomically designed with indirect ventilation, excellent comfort and fit*  
 Quantity: 12-300



Part No. **1451**  
 As above – Shade 3



Part No. **1454** – Clear  
*Single piece lens with integrated side shield, blue nylon frame with adjustable arms. Anti Scratch*  
 Quantity: 12-300

Part No. **1571**  
 As above – Green lens

Part No. **1572** – Clear  
*Wraparound protection, combines fashion and fit, integrated nose piece. Anti Scratch*  
 Quantity: 12-300



Part No. **1570** – Clear  
*Sports style lightweight safety spectacle. Multi material technology for superb comfort and grip. Anti Scratch*  
 Quantity: 12-300

Part No. **1575** – Shade 5  
*A wraparound welding spectacle complete with soft nose bridge, adjustable side arms and temple inclination. Anti Scratch*  
 Quantity: 12-300



## SAFETY SPECTACLES

### Honeywell OP-TEMA

*Lightweight classic styling with a full view lens and built-in moulded browbar.  
Soft adjustable nosepiece, adjustable temple lengths and lens angles.  
Supplied with a breakaway Flexicord retainer. Anti-scratch  
Quantity: 10-1000*



Part No. **1000016** – Black Frame



Part No. **1000018** – Blue Frame

### Honeywell A800 SERIES

**Part No. 1015369**  
*Affordable and economically priced! Sporty, wraparound with  
unique built in extra 'flex' temples for increased tension control.  
Anti-scratch, Anti-mist  
Quantity: 10-1000*



SAFETY  
& PPE



### MSA Blue Mirror

**Part No. 1574**  
*Extremely lightweight (26 grams) and snug fitting.  
Highest polycarbonate lens optical quality Class 1.  
Impact grade F.  
Quantity: 12-300*



## SAFETY SPECTACLES

### V10 ELEMENT

Part No. **25642** – Clear  
*Low cost, single lens wraparound*  
Quantity: Box of 12



Part No. **25645**  
*Blue Mirror*

Part No. **25644**  
*Indoor/Outdoor*

### V30 NEMESIS

Part No. **25679** – Clear  
*Sporty style, lightweight wraparound*  
Quantity: Box of 12



Part No. **25688**  
*Smoke Mirror*

Part No. **25685**  
*Indoor/Outdoor*

Part No. **25692**  
*IRUV Shade 3*

Part No. **25694**  
*IRUV Shade 5*

**bolle**  
SAFETY

### SQUALL Safety Overspecs

Part No. **BOL-SQUPSI** – Clear anti-scratch/anti-fog coating lens  
*Polycarbonate overspec for visitors and wearers of prescription glasses. Optical class 1 lens. Adjustable length temples. Supplied with free neck cord. Gas welding protection versions available.*  
Quantity: Box of 10 - Case of 180

Part No. **BOL-SQUWPCC5**  
Anti-scratch coating shade 5 welding lens





## SAFETY SPECTACLES



### BANDIDO

Part No. **BOL-BANCI** – Clear anti-scratch/anti-fog coating lens  
*Polycarbonate, close-fitting, optical class 1 lens. Provides excellent all-round protection. Supplied with free neck cord.*  
Quantity: Box of 10 / Case of 300


 Part No. **BOL-BANPSF**  
Anti-scratch coating, Smoke lens

 Part No. **BOL-BANWPC5**  
Anti-scratch/Anti-fog coating, Shade 5 welding lens

 Part No. **BOL-BANPSJ**  
Anti-scratch/Anti-fog coating, Yellow lens

### SILIUM

Part No. **BOL-SILPSI** – Clear anti-scratch/anti-fog coating lens  
*Sleek and attractive metal frame with optical class 1 polycarbonate lens. Features integrated sideshields, flexible temples, soft adjustable nose pads and 'Tip Grip' system for improved fit.*  
Quantity: Box of 10 / Case of 240


 Part No. **BOL-SILPSF**  
Anti-scratch/Anti-fog coating, Smoke lens



### CONTOUR

Part No. **BOL-CONTPSI** – Clear anti-scratch/anti-fog coating lens  
*Extremely lightweight (21g) with TPE non-slip bridge and temples, for market-leading levels of fit, comfort and protection. Optical class 1 polycarbonate lens. Supplied with free microfibre pouch.*  
Quantity: Box of 10 / Case of 240


 Part No. **BOL-CONTPSF**  
Anti-scratch/Anti-fog coating, Smoke lens

 Part No. **BOL-CONTESP**  
Anti-scratch coating, Indoor/Outdoor lens



### B-LINE

Part No. **BOL-BL10CI** – Clear anti-scratch coating lens  
*Economy eye protector. Polycarbonate, close-fitting, optical class 1 lens. Provides excellent all-round protection. Supplied with free, adjustable neck cord.*  
Quantity: Box of 10 / Case of 300

 Part No. **BOL-BL10CF**  
Anti-scratch coating, Smoke lens



## SAFETY SPECTACLES

### uvex PHEOS

Part No. **UV-9192-225**  
 Clear, supravision HC-AF lens  
 Black/Lime Green frame  
 Anti-scratch, Anti-Mist  
 Quantity: Box of 5 / Case of 160



Part No. **UV-9192-285**  
 Grey lens  
 Black/Grey frame

Part No. **UV-9192-881**  
 Silver Mirror lens  
 Light Grey/Grey frame

Part No. **UV-9192-385**  
 Amber lens  
 Black/Yellow frame

### uvex i-v0

Part No. **UV-9160-275**  
 Clear, supravision HC-AF lens  
 Black/Grey frame  
 Anti-scratch, Anti-Mist  
 Quantity: Box of 5 / Case of 200



Adjustable Temples,  
 Retractable Arms

Part No. **UV-9160-520**  
 Amber, optidur NCH lens  
 Blue/Orange frame

### uvex SUPER FIT

Part No. **UV-9178-043**  
 Grey welding shade 3,  
 infradur AF coating lens  
 Anti-scratch, Anti-Mist  
 Black/Green frame



Wide bridge for  
 respirator wearing

Part No. **UV-9178-385**  
 Amber supravision  
 performance coating lens  
 Black frame

Part No. **UV-9178-041**  
 Grey welding shade 1.7,  
 infradur AF coating lens  
 Black/Green frame

Part No. **UV-9178-185** – Clear  
 optidur 4C PLUS coating lens  
 Black frame  
 Quantity: Box of 5 / Case of 200

**Lightweight  
 – only 21g!**

SAFETY  
 & PPE

# Eye Protection



EN 166 & EN 175

## SAFETY GOGGLES



Part No. **1508**  
*Ski style wide vision goggles, soft rubber body, exceptional fit and comfort, withstands high temperatures*  
Anti scratch/mist  
Quantity: 12-144



Part No. **1511**  
*Wide vision goggles with high levels of comfort and protection. Fit over most spectacles*  
Anti scratch/mist Shade 5  
Quantity: 12-144



Part No. **1432**  
*Large Panorama Clear Goggles*  
Indirect / Anti-Mist  
Quantity: 1-50



Part No. **1430**  
*Clear Goggles*  
Indirect  
Quantity: 1-100



Part No. **1431**  
*Clear Goggles*  
Direct  
Quantity: 1-100



Part No. **1692**  
*2" Flip-Up Welding Goggles*  
Shade 5  
Quantity: 12-120



Part No. **1428**  
*2" Flip-Up Welding Goggles*  
Shade 5  
Quantity: 12-120



Part No. **1693**  
*Moulded Welding Goggles*  
Indirect – Shade 5  
Quantity: 12-120



Part No. **1583**  
*4-1/4" x 2" Flip-Up Welding Goggles*  
Shade 5  
Quantity: 10-60



Part No. **1429**  
*Panorama Welding Goggles*  
Indirect – Shade 5  
Quantity: 12-120



Part No. **1427**  
*2" Welding Goggles*  
Shade 5  
Quantity: 12-120

SAFETY & PPE



## SAFETY GOGGLES



**uvex ULTRASHIELD**  
FACEGUARD ONLY (attaches to the ULTRAVISION)

Part No. **UV-9301-317**  
Clear – Fits with the Ultravision goggles  
Anti-scratch, Anti-Mist  
Quantity: Box of 1 / Case of 120



Flip-up Shield  
takes respirator

**uvex FLIP-UP ULTRASHIELD**  
FACEGUARD ONLY (attaches to the ULTRAVISION)

Part No. **UV-9301-318**  
Clear / UV2-1.2, supravision HC-AF faceguard  
Transparent Grey EN166 1B CE  
Anti-scratch, Anti-Mist  
Quantity: Box of 1 / Case of 18



**uvex ULTRAVISION**

Part No. **UV-9301-815**  
Clear / UV 2-1.2, supravision HC-AF lens  
Transparent Grey EN166 1B CE  
Anti-scratch, Anti-Mist  
Quantity: Box of 1 / Case of 90

Part No. **UV-9301-605**  
Clear / UV 2-1.2, optidur 4V PLUS lens  
Transparent Grey EN166 1B CE  
Anti-scratch, Anti-Mist  
Quantity: Box of 1 / Case of 90

## Honeywell



**Honeywell V-MAXX**

Part No. **1006193**  
Versatile goggles with indirect vent and polycarbonate non-mist lens. Can be worn over prescription eyewear and with most half mask respirators. Anti-scratch, Anti-mist.  
Quantity: Box of 10

SAFETY  
& PPE

## SAFETY GOGGLES



### uvex ULTRASONIC

Part No. **UV-9302-245**  
Clear / UV 2-1.2, supravision HC-AF lens  
Orange/Grey EN166 1B CE  
Quantity: Box of 4 / Case of 72

Part No. **UV-9302-285**  
Clear / UV 2-1.2, supravision HC-AF lens  
Grey/Black EN166 1B CE  
Quantity: Box of 4 / Case of 72

### uvex ULTRASONIC FLIP-UP

Part No. **UV-9302-043**  
Clear / UV 2-1.2, supravision HC-AF lens  
Flip-up: Welding Shade 3, infradur PLUS  
Green/Black EN166 1B CE  
Quantity: Box of 4 / Case of 72

Part No. **UV-9302-045**  
Clear / UV 2-1.2, supravision HC-AF lens  
Flip-up: Welding Shade 5, infradur PLUS  
Green/Black EN166 1B CE  
Quantity: Box of 4 / Case of 72



### Replacement Lenses

Part No. **UV-9302-083** **UV-9302-085**  
Welding Shade 3 Welding Shade 5  
Box of 4 / Case of 100 Box of 4 / Case of 100



### uvex ULTRAVISION

Part No. **UV-9301-245**  
Green Welding Shade 5, supravision HC-AF lens  
Black EN166 1B CE  
Quantity: Box of 1 / Case of 90

### uvex CARBONVISION

Part No. **UV-9307-375**  
Clear / UV 2-1.2, supravision extreme lens  
Black/Grey EN166 1B CE  
Quantity: Box of 5 / Case of 160




Ultra-low profile


SAFETY & PPE

**SAFETY GOGGLES**


**TRACKER**

Part No. **BOL-TRACPSF** – Anti-scratch/anti-fog coating smoke lens  
*Ultra-close fitting. Meets goggle protection standards for impact, dust and liquid splash when used with the supplied headband. Optical class 1 polycarbonate lenses. Supplied with free micro-fibre pouch.*  
Quantity: Box of 10 / Case of 240

 Part No. **BOL-TRACPSI**  
Clear lens

 Part No. **BOL-TRACPSJ**  
Yellow lens

Part No. **BOL-SOSTRACKER**  
Clear prescription lens adapter

 Part No. **BOL-TRACWPCC5**  
Shade 5 welding lens



**X90**


Part No. **BOL-X90PSI** – Anti-scratch/anti-fog coating clear lens  
*Ultra low profile safety goggle. Ball pivot fitting for high quality adjustable head strap. Indirect ventilation. Extremely comfortable and ideal for wearing under safety helmet.*  
Quantity: Box of 10 / Case of 240



Part No. **BOL-BLV**  
Blast compatible face visor attachment

**BLAST**

Part No. **BOL-BLAPSI** – Anti-scratch/anti-fog coating clear lens  
*Modern sports-style ventilated goggle. Offers exceptionally wide field of vision, comfort and fit. Can be worn over prescription glasses. Optical class 1 lens. Also offers protection from liquid splash, dust and molten metal. Optional face visor can be attached for extra protection to face.*  
Quantity: Box of 5 / Case of 65

 Part No. **BOL-BLAWPCC5**  
Anti-scratch coating shaded welding lens

**SAFETY & PPE**

**UVEX LENS CLEANING**



Part No. **UV-9990-000**  
Complete Cleaning Station  
Quantity: 1



Part No. **UV-9972-101**  
Cleaning Fluid – 16 fl oz  
Quantity: 1-9



Part No. **UV-9991-000**  
450 Cleaning Tissues per box  
Quantity: 1-36



Part No. **UV-9963-000**  
100 Cleaning Towelettes per box  
Quantity: 1-20

## SWP DUST MASKS



Part No. **1724**  
FFP 2 - Cup  
Box of 20



Part No. **1725**  
FFP 2 - Valved Cup  
Box of 12



Part No. **1726**  
FFP 2 Active Carbon/Valved - Cup  
*Recommended for welding protection*  
Box of 12



Part No. **1728**  
FFP 2 Active Carbon/Valved - Foldable  
*Recommended for welding protection*  
Box of 12



Part No. **1735**  
FFP 2 Valved - Foldable  
Box of 12



Part No. **1738**  
FFP 3 Valved - Foldable  
Box of 12

Dust Masks -  
Protection Level Key:

- FFP 1:  
Non-toxic solid and liquid aerosols
- FFP 2:  
Low-to-average toxicity, solid and liquid aerosols
- FFP 3:  
High toxicity, solid and liquid aerosols

# REPAIR<sup>®</sup>

## REPAIR MESHED VALVED MASKS

Part No. **EU-FFP2V-M**  
*Protects against fine hazardous dust particles and light welding fumes*  
Quantity: Box of 10



Part No. **EU-FFP3V-M**  
*Protects against toxic dust, light radioactive dust, bacteria and viruses*  
Quantity: Box of 5



Part No. **EU-FFP2VC-M**  
*Activated charcoal protects against odours and organic vapours up to NPF, lead welding fumes, organic vapours etc*  
Quantity: Box of 10



## REPAIR FOLD FLAT MASKS

Part No. **EU-FFP2V-F** – Valved  
*Protects against fine hazardous dust particles and light welding fumes*  
Quantity: Box of 10



Part No. **EU-FFP3V-F** – Valved  
*Protects against toxic dust, light radioactive dust, bacteria and viruses*  
Quantity: Box of 10



Part No. **EU-FFP20VC-F** – Valved  
*Odourair carbon folded*  
Quantity: Box of 10



SAFETY & PPE



## PREMIUM RANGE



CE  
CAT II  
EN388 EN407

Part No. **1986** – Size 10  
Rigger  
*Premium quality gold/black split leather reinforced palm*  
Quantity: 10-120



CE  
CAT II  
EN388 EN407

Part No. **1987** – Size 10  
TIG Gauntlet  
*Premium goatskin with gold cow split leather cuff - Kevlar stitched*  
Quantity: 10-60



CE  
CAT II  
EN388 EN407

Part No. **1988** – Size 10  
Welders Gauntlet  
*Premium gold split leather with black leather reinforced palm - Kevlar stitched*  
Quantity: 10-60

## WELDER'S GAUNTLETS



EN388

Part No. **1949** – Size 10  
Welder's Gauntlet – Green  
14" Lined  
Quantity: 1-60



CE  
CAT II  
EN388 EN407

Part No. **1948** – Size 10  
Welder's Gauntlet – Red  
14" Lined  
Quantity: 1-60



CE  
CAT II  
EN388 EN407

Part No. **1942** – Size 10  
Welder's Gauntlet – Red  
14" split leather with gold leather reinforced palm - Kevlar stitched  
Quantity: 1-60



EN388

Part No. **1940** – Size 10  
TIG Gloves  
*Pigskin with reinforced thumb*  
Quantity: 1-60



CE  
CAT II  
EN388

Part No. **1941** – Size 10  
TIG Gloves  
*Grey goatskin with 6" Split Leather Cuff*  
Quantity: 1-60



Part No. **1947** – Size 10  
Premium Welder's Gauntlet – Red/Black  
14" split leather with black leather reinforced palm - Kevlar stitched  
Quantity: 1-60

## RIGGERS & INDUSTRIAL



CE  
CAT II  
EN388

Part No. 1943 – Size 10  
Reinforced Palm Rigger  
Quantity: 1-120



Part No. 1944 – Size 10  
Canadian Rigger  
Quantity: 1-120



CE  
CAT II  
EN388

Part No. 1945 – Size 10  
Power Rigger  
Quantity: 1-120



Part No. 1946 – Size 10  
Furniture Hide Rigger  
Block Colour – Black or Green  
Quantity: 1-120



CE  
CAT II  
EN388

Part No. 1951 – Size 10  
PVC Glove – Red  
Knitted wrist  
Quantity: 1-100



CE  
CAT II  
EN388

Part No. 1959 – Size 10  
1959/S9 – Size 9  
Nitrile Glove – Black  
Quantity: 12-120



CAT II  
CE  
EN388

Part No. 1957 – Size 10  
1957/S9 – Size 9  
Gripper Glove – Orange  
Quantity: 1-120



CAT II  
CE  
EN388

Part No. 1958 – Size 10  
1958/S9 – Size 9  
Gripper Glove – Green  
Quantity: 1-120

| EN388 | MECHANICAL HAZARDS                 | Performance Level |
|-------|------------------------------------|-------------------|
|       | (a) Abrasion resistance            | 0-4               |
|       | (b) Blade-cut resistance           | 0-5               |
|       | (c) Tear resistance                | 0-4               |
|       | (d) Puncture resistance            | 0-4               |
| EN407 | THERMAL HAZARDS                    | Performance Level |
|       | (a) Burning behaviour              | 0-4               |
|       | (b) Contact heat                   | 0-4               |
|       | (c) Convective heat                | 0-4               |
|       | (d) Radiant heat                   | 0-4               |
|       | (e) Small splashes of molten metal | 0-4               |
|       | (f) Large splashes of molten metal | 0-4               |

## WELDAS TIG WELDING GLOVES - EN 12477



Part No. **2400**  
Reverse Pigskin  
Kevlar stitched with reinforced thumb and seamless index finger  
Quantity: 1-60

Part No. **2402**  
Softgrain Goatskin  
Lightweight Kevlar stitched with seamless index finger  
Quantity: 1-60

## WELDAS WELDING GAUNTLETS - EN 12477



Part No. **2412**  
Buckram Wide Body  
Comfort lining, Kevlar stitched with reinforced palm  
Quantity: 1-40

Part No. **2413**  
Blue Cowhide  
Comfoflex, Kevlar stitched with reinforced palm  
Quantity: 1-60

## WELDAS LEATHER WORK GLOVES - EN 388



Part No. **2437**  
Fingertip sensitivity  
Soft grain  
Quantity: 1-60

Part No. **2438**  
Oil & Weather-resistant  
Cowhide  
Quantity: 1-60



Part No. **2414**  
Economy Model  
Wing thumb  
Quantity: 1-40

Part No. **2415**  
Aluminised Back  
Comfoflex, flame retardant lining, Kevlar stitched, heat reflective  
Quantity: 1-40

## WELDAS ACCESSORIES



Part No. **2449**  
Heat Reflective Handshield  
Kevlar stitched  
Quantity: 1-100

Part No. **2459**  
3 mtr Leather Cable Cover  
22mm diameter, Zip fastening  
Quantity: 1

Part No. **2460**  
6.7 mtr Leather Cable Cover  
22mm diameter, Zip fastening  
Quantity: 1



Part No. **2416**  
Welder's Gauntlet  
Reinforced thumb, Kevlar stitched  
Quantity: 1-40

SAFETY & PPE

# Hand Protection

## G80 CHEMICAL RESISTANT GLOVES – NEOPRENE / LATEX



- Neoprene over latex formulation to maximise protection and enhance flexibility and elasticity
- Anti-slip pattern with honeycomb structure to provide excellent grip in wet and dry conditions
- Palm strengthened by special dip for extra protection
- 0.7mm thickness to increase protection
- Anatomically shaped for increased comfort and dexterity
- Pure cotton flock lining to absorb perspiration
- Chlorinated for low extractable proteins and residual chemicals
- Straight cuff

## G60 LEVEL 5 CUT RESISTANT GLOVES – PU COATED



- PU Coating offers excellent grip
- Patented engineered yarn provides excellent protection against cuts and gashes
- Yarn transmits heat away making glove breathable and comfortable
- Extreme cut resistance (Level 5) combined with very good fit, comfort and dexterity
- Conforms to EN420 Minimum Cuff Length providing protection to wrist area
- High abrasion resistance (Level 4)
- Latex free
- Suitable for washing

## G60 LEVEL 5 CUT RESISTANT SLEEVE



- Patented engineered yarn provides excellent protection against cuts and gashes
- High breathability as yarn transmits heat away
- High cut resistance (Level 5)
- Connectivity to glove to protect vulnerable wrist area
- Adjustable strap to ensure good fit for all arm sizes
- Suitable for washing
- Unique system to provide the highest level of protection, efficiency and productivity

## G60 LEVEL 3 CUT RESISTANT GLOVES – PURPLE NITRILE



- Nitrile dots on palm offer excellent grip
- Conforms to EN420 Minimum Cuff Length providing protection to wrist area
- Unique Nitrile coated fingertips – grip with maximum breathability
- High abrasion resistance (Level 4)
- Latex free
- Suitable for washing
- The unique design offers an exceptional level of breathability and comfort
- Ambidextrous for better cost in use, more productivity and efficiency

## G60 LEVEL 2 CUT-RESISTANT GLOVES – NITRILE COATED



- Aramid yarns provide excellent lightweight cut protection (Level 2)
- Nitrile Coating offers enhanced grip
- Excellent dexterity
- Excellent abrasion resistance (Level 3)
- Contact heat protection (Level 1)

SAFETY & PPE

| GLOVES DESCRIPTION               | 8/M                      | 9/L   | 10/XL | CASE CONTENTS            |
|----------------------------------|--------------------------|-------|-------|--------------------------|
| G80 Neoprene / Latex             | 38742                    | 38743 | 38744 | 5 x Box of 12 = 60 pairs |
| G60 Level 5 Cut-Resistant        | 98236                    | 98237 | 98238 | 1 x Box of 12 = 12 pairs |
| G60 Cut-Resistant Purple Nitrile | 97431                    | 97432 | 97433 | 1 x Box of 12 = 12 pairs |
| G60 Level 2 Cut-Resistant        | 98231                    | 98232 | 98233 | 5 x Box of 12 = 60 pairs |
| SLEEVE DESCRIPTION               | CODE – ONE SIZE FITS ALL |       |       | CASE CONTENTS            |
| G60 Level 5 Cut-Resistant        | 90075                    |       |       | 1 x Box of 12 = 12 pairs |



## G40 GLOVES – SMOOTH NITRILE COATED



- Premium general purpose glove offering a versatile solution for assembly and general handling
- Ideal for dry or slightly oily tasks
- Perfect for light/medium assembly application providing high level of dexterity and good mechanical protection
- Smooth nitrile coated palm for excellent oil repellency and palm protection
- Seamless nylon knitted backing for breathability and comfort

## G40 GLOVES – FOAM NITRILE COATED



- Premium general purpose hand protection providing the highest levels of abrasion resistance
- Foam nitrile coated palm for excellent dry grip, dexterity and palm protection
- Seamless nylon knitted backing for breathability and comfort
- Highly durable and abrasion resistant
- Highest abrasion resistance
- The foam nitrile formulation offers maximum comfort and breathability

## G40 GLOVES – POLYURETHANE COATED



- Versatile, general purpose hand protection
- Roughened polyurethane coating for excellent grip
- Seamless nylon knitted backing for breathability and comfort
- Good tear and abrasion resistance for durability and reduced in-use cost
- Excellent dexterity – ideal for handling small components

## G40 GLOVES – LATEX COATED



- Cost-effective general purpose hand protection
- High tear resistance providing high durability
- Seamless knitted polyester construction offering high breathability for comfort in extended use
- Combines thermal and mechanical protection for handling a wide range of applications
- Crinkled finish latex coated palm provides excellent grip

## G35 INSPECTION GLOVES – WHITE NYLON



- Nylon gloves – soft, comfortable, flexible and low linting
- Silicone free on surface contact area (palm) to avoid product contamination
- Seamless knit shell for a longer and more comfortable wear
- Low linting
- Ambidextrous – no need to pair to generate better cost in use
- To be used on their own or as liners to provide flexibility and excellent value for money
- 100% nylon offering a more sensitive glove to allow workers to easily find surface deflections

| GLOVES DESCRIPTION        | 8/M   | 9/L   | 10/XL | CASE CONTENTS              |
|---------------------------|-------|-------|-------|----------------------------|
| G40 Smooth Nitrile Coated | 13834 | 13835 | 13836 | 5 x Box of 12 = 60 pairs   |
| G40 Foam Coated Nitrile   | 40226 | 40227 | 40228 | 5 x Box of 12 = 60 pairs   |
| G40 Polyurethane Coated   | 13838 | 13839 | 13840 | 5 x Box of 12 = 60 pairs   |
| G40 Latex Coated          | 97271 | 97272 | 97273 | 5 x Box of 12 = 60 pairs   |
| G35 White Nylon           | 38718 | 38719 | 38720 | 10 x Box of 12 = 120 pairs |

## HIGH VISIBILITY GARMENTS - EN 471



Part No. **3100**  
Parka - M  
*2 Band & Brace*  
Quantity: 1-10

Part No. **3101**  
Parka - L  
*2 Band & Brace*  
Quantity: 1-10

Part No. **3102**  
Parka - XL  
*2 Band & Brace*  
Quantity: 1-10



Part No. **3105**  
Waistcoat - M  
*2 Band & Brace*  
Quantity: 1-50

Part No. **3106**  
Waistcoat - L  
*2 Band & Brace*  
Quantity: 1-50

Part No. **3107**  
Waistcoat - XL  
*2 Band & Brace*  
Quantity: 1-50



Part No. **3140**  
Bomber Jacket - M  
*2 Band & Brace*  
Quantity: 1-10

Part No. **3141**  
Bomber Jacket - L  
*2 Band & Brace*  
Quantity: 1-10

Part No. **3142**  
Bomber Jacket - XL  
*2 Band & Brace*  
Quantity: 1-10



Part No. **3134**  
Trousers - M  
*2 Band*  
Quantity: 1-50

Part No. **3135**  
Trousers - L  
*2 Band*  
Quantity: 1-50

Part No. **3136**  
Trousers - XL  
*2 Band*  
Quantity: 1-50

## FLAME RETARDANT BOILER SUIT - EN 11611

Part No. **1915**  
Flame Retardant Boiler Suit - M  
42"  
Quantity: 1-25

Part No. **1916**  
Flame Retardant Boiler Suit - L  
46"  
Quantity: 1-25

Part No. **1917**  
Flame Retardant Boiler Suit - XL  
50"  
Quantity: 1-25

Part No. **1918**  
Flame Retardant Boiler Suit - XXL  
52"  
Quantity: 1-25



## FLAME RETARDANT HOODS - EN 11611



Part No. **1919**  
Hood with cape and Velcro fastening  
Quantity: 1-100



Part No. **1920**  
Balaclava style hood  
Quantity: 1-100



Part No. **1921**  
Hood with Velcro fastening  
Quantity: 1-100



Part No. **1922**  
Premium Lined Hood with cape and Velcro fastening  
Quantity: 1-100

## KNEE PADS

Part No. **1584**  
Black Heavy Duty Knee Pads with Velcro Strap  
Quantity: 1-24



**PREMIUM LEATHER RANGE - EN 12477**



Part No. **1908** – L – 42-44"  
 Part No. **1909** – XL – 46-48"  
 Premium gold leather with red flame retardant back - Kevlar stitched  
 Quantity: 1-10



Part No. **1906**  
 Welders Hood  
 Premium gold leather with Velcro fastening  
 Quantity: 10-60



Part No. **1905**  
 Welders Apron 24 x 36"  
 Premium gold leather - Kevlar stitched  
 Quantity: 10-60



Part No. **1907**  
 Welders Sleeves 18"  
 Premium gold leather - Kevlar stitched  
 Quantity: 10-60



Part No. **1987** – Size 10  
 TIG Gauntlet  
 Premium goatskin with gold cow split leather cuff - Kevlar stitched  
 Quantity: 10-60



Part No. **1988** – Size 10  
 Welders Gauntlet  
 Premium gold split leather with black leather reinforced palm - Kevlar stitched  
 Quantity: 10-60



Part No. **1986** – Size 10  
 Rigger  
 Premium quality gold/black split leather reinforced palm - Kevlar stitched  
 Quantity: 10-120

**SAFETY & PPE**

# Protective Clothing

EN 11611 Class II

## APRONS



Part No. **1820**  
Chrome Leather Apron & Ties  
24" x 36"  
Quantity: 1-50



Part No. **1821**  
Chrome Leather Apron & Ties  
24" x 42"  
Quantity: 1-50



Part No. **1822**  
Chrome Leather Apron & Ties  
24" x 48"  
Quantity: 1-50



Part No. **1823**  
Chrome Leather Apron  
Buckle & Strap - 24" x 36"  
Quantity: 1-50



Part No. **1824**  
Chrome Leather Waist Apron  
24" x 18"  
Quantity: 1-50



Part No. **1900**  
Silicon Coated Apron - 600°  
24" x 36" - Kevlar stitched  
Quantity: 1



Part No. **1896**  
Red Leather Apron & Ties  
24" x 36" - Kevlar stitched  
Quantity: 1-50



Part No. **1897**  
Red Leather Apron & Ties  
24" x 42" - Kevlar stitched  
Quantity: 1-50



Part No. **1898**  
Red Leather Apron & Ties  
24" x 48" - Kevlar stitched  
Quantity: 1-50



Part No. **1899**  
Red Leather Apron - Buckle &  
Strap - 24" x 36" - Kevlar stitched  
Quantity: 1-50

SAFETY  
& PPE

Head Office Sales: Tel: **01420 588180** Fax: **01420 588184** Email: [sales@swp.uk.net](mailto:sales@swp.uk.net)

Northern Depot Sales: Tel: **01942 719930** Fax: **01942 729937** Email: [airsales@swp.uk.net](mailto:airsales@swp.uk.net)

# Protective Clothing

EN 11611 Class II

## LEATHER JACKETS

Part No. **1902**  
Red Leather Jacket - L  
42-44" - Kevlar stitched  
Quantity: 1-10

Part No. **1903**  
Red Leather Jacket - XL  
46-48" - Kevlar stitched  
Quantity: 1-10

Part No. **1904**  
Red Leather Jacket - XXL  
50-52" - Kevlar stitched  
Quantity: 1-10



Part No. **1833**  
Chrome Leather Jacket - L  
42-44"  
Quantity: 1-10

Part No. **1834**  
Chrome Leather Jacket - XL  
46-48"  
Quantity: 1-10

Part No. **1835**  
Chrome Leather Jacket - XXL  
50-52"  
Quantity: 1-10



## LEATHER SLEEVES

Part No. **1870**  
Chrome Leather Sleeves  
14" Quantity: 1-50

Part No. **1871**  
Chrome Leather Sleeves  
18" Quantity: 1-50

Part No. **1872**  
Chrome Leather Sleeves  
24" Quantity: 1-50



Part No. **1913**  
Red Leather Sleeves  
14" - Kevlar stitched  
Quantity: 1-50

Part No. **1914**  
Red Leather Sleeves  
18" - Kevlar stitched  
Quantity: 1-50



## LEATHER TROUSERS

Part No. **1840**  
Chrome Leather Trousers - M  
36-38"  
Quantity: 1-10

Part No. **1841**  
Chrome Leather Trousers - L  
40-42"  
Quantity: 1-10

Part No. **1842**  
Chrome Leather Trousers - XL  
44-46"  
Quantity: 1-10



## LEATHER GAITERS

Part No. **1890**  
Chrome Leather Gaiters  
9" Velcro Quantity: 1-50

Part No. **1891**  
Chrome Leather Gaiters  
12" Velcro Quantity: 1-50

Part No. **1892**  
Chrome Leather Gaiters  
14" Velcro Quantity: 1-50

Part No. **1893**  
Chrome Leather Gaiters  
16" Velcro Quantity: 1-50



SAFETY  
& PPE

# Protective Clothing



## PRODUCT SELECTOR

| ACTIVITY                           | APPLICATION                                     | A71 | A65 | A45 | A40 | A25+ | A20+ |
|------------------------------------|---|-----|-----|-----|-----|------|------|
| Abatement/<br>Remediation          | Exposure to Radioactive particles               | ●   |     | ●   | ●   |      | ●    |
|                                    | Hazardous waste remediation                     | ●   |     |     | ○   |      |      |
|                                    | Lead abatement                                  |     |     | ○   | ○   | ●    | ●    |
|                                    | Mould remediation                               |     |     | ○   | ○   | ●    | ●    |
| Agriculture                        | Animal waste                                    |     |     | ●   | ●   |      |      |
|                                    | Fertilizer/Pesticide application (dry/granular) |     |     | ○   | ○   | ●    | ●    |
|                                    | Pesticide application (liquid)                  | ●   |     | ○   | ●   |      |      |
| Bio-<br>logical<br>EN<br>14126     | Biohazard handling aerosol and liquid           | ●   |     |     |     |      |      |
|                                    | Bodily fluids including blood                   | ●   |     |     |     |      |      |
| Cleaning/<br>maintenance           | Light duty clean-up/Warehouse                   |     |     | ○   | ○   | ●    | ●    |
|                                    | Machine maintenance (vehicle/refinery)          |     |     | ○   | ●   | ●    | ○    |
|                                    | Sewage  | ●   |     |     | ●   |      |      |
|                                    | Industrial clean-up (general)                   |     |     | ●   | ●   | ●    | ●    |
|                                    | Tank cleaning and maintenance                   | ●   |     |     | ○   |      |      |
| General industry/<br>manufacturing | Electronics                                     |     |     | ●   | ●   | ○    |      |
|                                    | Fibreglass insulation/installation              |     |     | ○   | ○   | ●    | ●    |
|                                    | Food processing                                 |     |     | ●   | ●   |      |      |
|                                    | Powder handling                                 |     |     | ○   | ○   | ●    | ●    |
|                                    | Liquid chemical handling/transfer               | ●   |     |     | ●   |      |      |
|                                    | Woodworking                                     |     |     |     |     | ●    | ●    |
| Painting                           | Non-hazardous aerosols and liquid               |     |     | ●   | ●   | ●    | ●    |
|                                    | Non-hazardous solids                            |     |     | ○   | ○   | ●    | ●    |
| Non-<br>hazard                     | Paint spraying                                  |     |     | ●   | ●   | ○    |      |
|                                    | Powder coating                                  |     |     | ●   | ●   | ●    | ●    |
| Scientific                         | Pharmaceuticals                                 |     |     | ●   | ●   | ○    | ○    |
| Metal/<br>Welding                  | Metal grinding                                  |     | ●   |     |     |      |      |
|                                    | Metal particulate (chromium/beryllium)          |     |     | ○   | ○   | ●    | ●    |
|                                    | Metal polishing                                 |     |     | ○   | ○   | ●    | ●    |
|                                    | Welding (over welding garment)                  |     | ●   |     |     |      |      |
|                                    | Radiant/Convective heat environments            |     | ●   |     |     |      |      |
|                                    | Page  | 339 | 339 | 340 | 340 | 341  | 341  |

The selector is a guide only. It is the responsibility of the employer to make sure the Coverall is suitable for its intended use. We suggest that you always check the latest version of KIMBERLY-CLARK PROFESSIONAL\* product literature to get more information about the products or contact INFOFAX Service by emailing [infofax@kcc.com](mailto:infofax@kcc.com)

● suggested  
○ alternative

All KLEENGUARD\* Protective Clothing conform to EN 340 recommendations for sizing.  
Use the chart to help you select the right size garment.

| BODY MEASUREMENTS (cm) |         |         |
|------------------------|---------|---------|
| SIZE                   | HEIGHT  | CHEST   |
| S                      | 164-170 | 96-104  |
| M                      | 170-176 | 104-112 |
| L                      | 176-182 | 112-120 |
| XL                     | 182-188 | 120-128 |
| XXL                    | 188-194 | 128-136 |
| XXXL                   | 194-200 | 136-144 |

Head Office Sales: Tel: **01420 588180** Fax: **01420 588184** Email: [sales@swp.uk.net](mailto:sales@swp.uk.net)

Northern Depot Sales: Tel: **01942 719930** Fax: **01942 729937** Email: [airsales@swp.uk.net](mailto:airsales@swp.uk.net)

## A71 CHEMICAL PROTECTION COVERALL

### Solutions

- ✓ Provides protection against aqueous chemical jets and sprays

### Areas of Use

- ✓ Viral and bio-hazard clean up
- ✓ Handling of aqueous chemicals
- ✓ Low pressure industrial cleaning and maintenance
- ✓ Oil & Gas industry
- ✓ Food Processing industry



- Durable film laminate with sewn and taped seams provides a strong barrier to chemical spray
- Sewn and taped seams with tear resistant fabric offers a strong liquid-tight barrier
- Storm-flap and hood designed for easier taping to a respirator
- Elasticated hood, cuffs and waist designed for better comfort and safety
- Highly visible for improved worker safety
- Silicone free and anti-static fabric EN 1149-1 for critical areas
- EN 14126 approved for infective agents protection
- EN 1073-2 approved for radioactive dust protection



CE0120



EN ISO 14605:2005  
Type 3-B  
Liquid tight clothing



EN ISO 14605:2005  
Type 4-B  
Spray tight clothing



EN ISO 13982-1:2004  
Type 5-B  
Particle protection



EN 1073-2:2002  
Radioactive dust contamination protection



EN 14126:2003  
Infective agents protection



EN 1149-1:1995  
Antistatic

| DESCRIPTION  | SIZE: | LARGE | XLARGE | XXLARGE | CASE OF |
|--------------|-------|-------|--------|---------|---------|
| A71 Coverall |       | 96770 | 96780  | 96790   | 10      |

## A65 FR FLAME-RETARDANT COVERALL

### Solutions

- ✓ Provides protection against chemical splash and particles
- ✓ Enhances safety by protecting the wearer from limited exposure to sparks and chemicals
- ✓ Reduces fatigue through increased user comfort and freedom of movement
- ✓ Reduces motion and inventory, since wearer needs to replace garment less often, driving increased efficiency and productivity

### Areas of Use

- ✓ Foundries
- ✓ Fabricated metal products
- ✓ Petrochemical plants & refineries
- ✓ Fuel distribution
- ✓ Utilities



- Silicone-free for critical areas
- No chest label to minimise flame hazards
- Made from a pulp polyester blend and generous cut design
- Type 5/6 protection against limited liquid splash and sprays of non-flammable liquids
- Compliant with EN ISO 14116: 2008 - Index 1 limited flame spread
- Antistatic fabric EN 1149-1 for critical areas
- Does not burn when in contact with flames
- Self-extinguishing
- Does not form molten drips or debris
- New smaller packaging suitable for vending machines, saves on storage space and transport/handling costs



CE0120



EN ISO 13982-1:2004  
Type 5  
Particle protection



EN ISO 13034:2005  
Type 6  
Limited splash protection



EN 1073-2:2002  
Radioactive dust contamination protection



EN 1149-1:1995  
Antistatic



EN ISO 14116:2008  
Limited Flame Spread

| DESCRIPTION  | SIZE: | LARGE | XLARGE | XXLARGE | CASE OF |
|--------------|-------|-------|--------|---------|---------|
| A65 Coverall |       | 99750 | 99760  | 99770   | 25      |

# Protective Clothing



## A40 LIQUID AND PARTICLE PROTECTION COVERALL

### Solutions

- ✓ Provides excellent levels of protection
- ✓ Made from made from a superior high performance film laminate fabric, providing exceptional durability, strength and protection
- ✓ Ultra low linting, minimises cross contamination
- ✓ Provides protection against chemical splash and particles

### Areas of Use

- ✓ Paint spraying in automotive and aerospace
- ✓ Pharmaceutical industries
- ✓ Manufacturing
- ✓ Utilities
- ✓ Electronics
- ✓ Agriculture



- Designed for a comfortable fit
- Thumb loops prevent sleeves from riding up and provide increased wrist protection
- Strong triple stitched seams help protect against tearing
- Hood designed for respirator use and freedom of movement
- Full length zip, eases ability to get in/out of garment
- Ultra low-lint performance, film laminate and internal seams significantly reduce levels of lint
- Film laminate technology provides an outstanding barrier against a wide range of chemicals
- Particle protection, holds out > 99% of fibres greater than 1 micron
- Antistatic fabric EN 1149-1 for critical areas
- Silicone free, ideal for paint-spraying
- EN 1073-2 approved for radioactive dust protection
- Compressed packaging provides auto-dispensing system and reduces storage space
- Sealed polybags for low contamination risk



CE0120



EN ISO 13982-1:2004  
Type 5  
Particle protection



EN 13034:2005  
Type 6  
Limited splash  
protection



EN 1073-2:2002  
Radioactive dust  
contamination  
protection



EN 1149-1:1995  
Antistatic

| DESCRIPTION  | SIZE: | LARGE | XLARGE | XXLARGE | CASE OF |
|--------------|-------|-------|--------|---------|---------|
| A40 Coverall |       | 97920 | 97930  | 97940   | 25      |


## A45 BREATHABLE COMBINATION COVERALL

### Solutions

- ✓ Provides protection against chemical splash and particles
- ✓ Has a specially designed back panel, providing exceptional breathability and wearer comfort
- ✓ Benefits from a very low linting combination of fabrics

### Areas of Use

- ✓ Paint spraying in automotive and aerospace
- ✓ Pharmaceutical industries
- ✓ Manufacturing
- ✓ Utilities
- ✓ Electronics
- ✓ Agriculture



- Designed for a comfortable fit
- Thumb loops prevent sleeves from riding up and provide increased wrist protection
- Silicone free, ideal for paint spraying
- Full length zip eases ability to get in/out of garment and offers better coverage of chin and neck
- Specially designed hood for respirator fit and freedom of movement
- Longer arms for a better fit with gloves
- Superior breathability with a durable SMS fabric back panel with additional treatment for increased protection against chemical splash
- Antistatic fabric EN 1149-1 for critical areas
- Ultra low-lint performance, film laminate and internally bound seams significantly reduce levels of lint
- Front, arms, legs and hood made in film laminate fabric EN 1073-2 approved for radioactive dust protection
- Reduced packaging reduces waste. Small, compact size is ideal for vending machines



CE0120



EN ISO 13982-1:2004  
Type 5  
Particle protection



EN 13034:2005  
Type 6  
Limited splash  
protection



EN 1073-2:2002  
Radioactive dust  
contamination  
protection



EN 1149-1:1995  
Antistatic

| DESCRIPTION  | SIZE: | LARGE | XLARGE | XXLARGE | CASE OF |
|--------------|-------|-------|--------|---------|---------|
| A45 Coverall |       | 99670 | 99680  | 99690   | 25      |

Head Office Sales: Tel: **01420 588180** Fax: **01420 588184** Email: **sales@swp.uk.net**

Northern Depot Sales: Tel: **01942 719930** Fax: **01942 729937** Email: **airsales@swp.uk.net**



## A25+ PROTECTIVE COVERALL WITH STRETCH PANELS

### Solutions

- ✓ Has a unique product design and fabric technology that ergonomically moves with the wearer
- ✓ Provides increased wearer comfort through superior freedom of movement
- ✓ Reduces fatigue and heat stress

### Areas of Use

- ✓ General maintenance
- ✓ General powder handling
- ✓ Machine and vehicle maintenance
- ✓ Construction



- Grey stretchable film laminate is strategically placed to provide greater freedom of movement
- Breathable white SMS fabric reduces the risk of heat stress
- Longer arms for a better fit with gloves
- Innovative design for additional wearer comfort
- Antistatic fabric EN 1149-1 for critical areas
- General purpose protective clothing suitable for handling liquids, powders, general manufacturing and maintenance
- Both white SMS and grey stretchable film laminate fabrics ensure resistance to 99% of particulates larger than 1 micron (I.O.M. Aloxite test) and water based liquids
- Full length zip eases ability to get in/out of garment and offers better coverage of chin and neck
- Silicone free
- EN 1073-2 approved for radioactive dust protection
- Reduced packaging reduces waste. Small compact size makes ideal for vending machines



CE0120



EN ISO 13982-1:2004  
Type 5  
Particle protection



EN 13034:2005  
Type 6  
Limited splash  
protection



EN 1149-1:1995  
Antistatic

| DESCRIPTION   | SIZE: | LARGE | XLARGE | XXLARGE | CASE OF |
|---------------|-------|-------|--------|---------|---------|
| A25+ Coverall |       | 89790 | 89800  | 89810   | 25      |

## A20+ PARTICLE PROTECTION COVERALL

### Solutions

- ✓ Provides protection against particles, fibres and chemical splash

### Areas of Use

- ✓ Handling powders
- ✓ General maintenance
- ✓ Construction
- ✓ Contract cleaning



- Designed for a comfortable fit
- Thumb loops prevent sleeves from riding up and provide increased wrist protection
- Triple stitched internal seams protect against tearing
- Specially designed body, hood and waist for comfort and safety
- Antistatic EN1149-1 for critical areas
- Durable SMS fabric keeps out 99% of particles larger than 1 micron (I.O.M Aloxite test)
- Breathable fabric reduces the risk of heat stress
- Silicone free for critical areas
- EN 1073-2 approved for radioactive dust protection
- Reduced packaging reduces waste. Small, compact size is ideal for vending machines



CE0120



EN ISO 13982-1:2004  
Type 5  
Particle protection



EN 13034:2005  
Type 6  
Limited splash  
protection



EN 1073-2:2002  
Radioactive dust  
contamination  
protection



EN 1149-1:1995  
Antistatic

| DESCRIPTION   | SIZE: | LARGE | XLARGE | XXLARGE | CASE OF |
|---------------|-------|-------|--------|---------|---------|
| A20+ Coverall |       | 95170 | 95180  | 95190   | 25      |

# Workplace Protection

## WELDING CURTAIN & FRAMES - EN 1598



| PART NO. | DESCRIPTION  | QUANTITY |
|----------|--|----------|
| 1459     | 4' x 6' Steel Curtain Frame                        | 1        |
| 1472     | 6' x 6' Steel Curtain Frame                        | 1        |
| 1473     | 8' x 6' Steel Curtain Frame                        | 1        |
| 1474     | Curtain Rings - 4 x 6 = 22, 6 x 6 = 24, 8 x 6 = 28 | 10       |

| PART NO. | DESCRIPTION                        | QUANTITY |
|----------|------------------------------------|----------|
| 1458     | 4' x 6' Fibreglass Flame retardant | 10       |
| 1468     | 6' x 6' Fibreglass Flame retardant | 10       |
| 1469     | 8' x 6' Fibreglass Flame retardant | 10       |

| PART NO. | DESCRIPTION         | QUANTITY |
|----------|---------------------|----------|
| 1460     | 4' x 6' PVC - Green | 10       |
| 1470     | 6' x 6' PVC - Green | 10       |
| 1471     | 8' x 6' PVC - Green | 10       |

|      |                      |    |
|------|----------------------|----|
| 1461 | 4' x 6' PVC - Orange | 10 |
| 1462 | 6' x 6' PVC - Orange | 10 |
| 1463 | 8' x 6' PVC - Orange | 10 |


## COMPLETE WELDING CURTAIN KIT - EN 1598



Part No. **1455**  
8' x 6' Welding  
Curtain Kit  
Quantity: 1

- Kit contains telescopic frame which allows for 6' x 6' or 8' x 6' frame option and supplied with EN 1598 8' x 6' orange curtain

## WELDING BOOTH - EN 1598



Part No. **1457**  
6' x 6' x 6' Welding  
Booth Complete  
Quantity: 1

- Each section easily slides in for locking
- No tools required for assembly
- Pipe joints have screwless push-fit snap locks
- Made of 1 inch (25mm) round tube
- Supplied in a single carton

SAFETY & PPE

# Hazard Protection

## WELDING SHELTER



Part No. **1456**  
Shelter Frame  
Quantity: 1

Part No. **1804**  
Shelter Cover  
Quantity: 1

Part No. **1475**  
2 x 2 x 2mtr  
Shelter Complete  
*Flame retardant*  
Quantity: 1

## WELDING BACKING TAPE



Part No. **1819**  
High Temperature Welding Backing Tape  

- Ideal for open gap and root applications 1-3mm
- Easily cut to required length
- For use with Mig, Tig and MMA

 Quantity: 1 x 10 mtr roll

## WELDING CUSHION



Part No. **1810**  
410 x 410 x 230mm  
*Leather and heat-resistant*  
Quantity: 1



600° C welding  
blanket material  
on reverse side.

## WELDING BLANKETS - EN 1869



| PART NO. | DESCRIPTION   | QUANTITY |
|----------|---|----------|
| 1812     | 1mtr x 50mtr Roll Fibre Glass Welding Blanket - 600°C | 1        |
| 1813     | 2mtr x 1mtr Fibre Glass Welding Blanket - 600°C       | 1        |
| 1814     | 2mtr x 2mtr Fibre Glass Welding Blanket - 600°C       | 1        |
| 1815     | 3mtr x 2mtr Fibre Glass Welding Blanket - 600°C       | 1        |

\*The above blankets must be hung vertically.

| PART NO. | DESCRIPTION  | QUANTITY |
|----------|--|----------|
| 1805     | 2mtr x 1mtr Fibre Glass Welding Blanket - 1000°C (Weldbarrier) | 1        |
| 1806     | 2mtr x 2mtr Fibre Glass Welding Blanket - 1000°C (Weldbarrier) | 1        |

| PART NO. | DESCRIPTION   | QUANTITY |
|----------|---|----------|
| 1816     | 2mtr x 900mm Silicate Fibre Welding Blanket - 1200°C (Weldbarrier)  | 1        |
| 1817     | 2mtr x 1800mm Silicate Fibre Welding Blanket - 1200°C (Weldbarrier) | 1        |
| 1818     | 3mtr x 1800mm Silicate Fibre Welding Blanket - 1200°C (Weldbarrier) | 1        |

