

Arc Welding Accessories

8





Contents

MYKING

Electrode Holders & Earth Clamps	242
----------------------------------	-----

FUTURIS

Earth Clamps	242
Twist-Type & Crocodile Electrode Holders	243
Cables & Cable Sets	244
Cable Accessories	245
Ovens, Quivers & Storage Containers	246
Hammers, Brushes & Gauges	247
Air Arc Torches, Carbons & Magnets	248

The sole UK importer of **GENUINE MYKING PRODUCTS** – not to be confused with ‘Myking Type’!


MYKING Electrode Holders BS EN 60974-11



The double screw body on these products makes them almost impossible to break. They are extremely well insulated.

Part No.	Description	Qty
1027	MYKING 200amp Electrode Holder – Two position 45/90°	1-50
1028	MYKING 450amp Electrode Holder – Two position 45/90°	1-25
1029	MYKING 600amp Electrode Holder – Two position 45/90°	1-25

MYKING Earth clamps



1080

MYKING G-600amp

- Earth Clamp
- Brass body with two screws

- Well insulated
 - Maximum cable size: 120mm
- Qty: 1-15

Earth Clamps



1077
Nevada Type Earth Clamp Croc – 250amp
Qty:1-50




1081
Earth Clamp Screw – 600amp – Cast Steel
Qty: 1-20



1083
Earth Clamp Croc – 200amp
Qty:1-50



1078
Nevada Type Earth Clamp Croc – 350amp
Qty: 1-50



1082
Earth Clamp Myking Type – 600amp
Qty: 1-15



1084
Earth Clamp Croc – 400amp
Qty: 1-50



1079
Nevada Type Earth Clamp Croc – 500amp
Qty: 1-50



1085
Earth Clamp Screw – 600amp –
Cast Steel/Brass
Qty:1-20



1086
Earth Clamp Screw CC11 – 600amp
Qty:1-20

Twist-Type Electrode Holders BS EN 60974-11



1018
LC Twist Type 400amp – Yellow Handle
Qty: 10-40



1020
Twist Type PG 400amp – Red Handle
Econ 405 equivalent
Qty: 10-40



1019
LC Twist Type 600amp – Yellow Handle
Qty: 10-40



1021
Twist Type PG 600amp – Red Handle
Econ 406 equivalent
Qty: 10-40

Crocodile Electrode Holders BS EN 60974-11



1023
Crocodile Holder 200amp
Qty: 1-25



1024
Crocodile Holder 400amp
Qty: 1-25



1025
Optimum 300amp
Qty: 1-25



1026
Optimum 450amp
Qty: 1-25



1030
Handicool Type 400amp
Qty: 1-30



1031
Handicool Type 600amp
Qty: 1-30

SIMPLEX

PVC Single Insulated Cable

EN 50525-2-11



Part No.	Description	Coil
1006	16mm SI Cable – Black	100m
1007	25mm SI Cable – Black	100m
1008	35mm SI Cable – Black	100m
1009	50mm SI Cable – Black	100m
1010	70mm SI Cable – Black	50m
1011	95mm SI Cable – Black	50m
1012	120mm SI Cable – Black	50m

DUOFLEX

PVC Double Insulated Cable

EN 50525-2-11



Part No.	Description	Coil
1000	16mm DI Cable – Orange	100m
1001	25mm DI Cable – Orange	100m
1002	35mm DI Cable – Orange	100m
1003	50mm DI Cable – Orange	100m
1004	70mm DI Cable – Orange	50m
1005	95mm DI Cable – Orange	50m

EPROFLEX

Rubber Single Insulated Welding Cable

BS EN 50525-2-81:2011 / H01N2-D



Part No.	Description	Coil
1013	25mm SI Cable – Black	100m
1014	35mm SI Cable – Black	100m
1015	50mm SI Cable – Black	100m
1016	70mm SI Cable – Black	50m

These own branded colours
are available on request



Croc Earth Clamp & Cable Sets



Part No.	Description	Coil
EC52SD	200amp Earth Clamp Croc c/w 10-25 Dinse (25mm Cable)	5m
EC52LD	200amp Earth Clamp Croc c/w 35-50 Dinse (25mm Cable)	5m
EC54LD	400amp Earth Clamp Croc c/w 35-50 Dinse (50mm Cable)	5m

Special builds available on request

Electrode Holder & Cable Sets



Part No.	Description	Coil
EH52SD	200amp Electrode Holder c/w 10-25 Dinse (25mm Cable)	5m
EH52LD	200amp Electrode Holder c/w 35-50 Dinse (25mm Cable)	5m
EH54LD	400amp Electrode Holder c/w 35-50 Dinse (50mm Cable)	5m

Special builds available on request

Cable Connectors BS EN 60974-12

1052

CC17 Cable Connector (male)
for 35-70mm cable
Qty: 1-60



1053

CC18 Cable Connector (female)
for 35-70mm cable
Qty: 1-60



1054

BB Cable Connector (male) Wescol
for 35-70mm cable
Qty: 1-60



1055

BB Cable Connector (female) Wescol
for 35-70mm cable
Qty: 1-60



1064

10-25 Dinse Type Panel Socket
Qty: 1-100



1065

35-50 Dinse Type Panel Socket
Qty: 1-60



1066

70-95 Dinse Type Panel Socket
Qty: 1-60



1067

Panel Plug for 35-50, 50-70, 70-95
Qty: 1-100



Dinse Type Plugs BS EN 60974-12

1056

10-25 Dinse Type Plug
Qty: 2-200



1057

35-50 Dinse Type Plug
Qty: 2-160



1058

50-70 Dinse Type Plug
Qty: 2-120



1059

70-95 Dinse Type Plug
Qty: 2-120



Dinse Type Sockets BS EN 60974-12

1060

10-25 Dinse Type Socket
Qty: 2-200



1061

35-50 Dinse Type Socket
Qty: 2-160



1062

50-70 Dinse Type Socket
Qty: 2-120



1063

70-95 Dinse Type Socket
Qty: 2-120



Adaptor



1068

Converts 10-25 sockets to
35-50 sockets
Qty: 1-10

Re-Usable Cable Lugs

Part No.	Description	Qty
1036	25mm Lug (200amp) – To fit 10mm stud	10
1037	35mm Lug (300amp) – To fit 13mm stud	10
1038	50mm Lug (400amp) – To fit 13mm stud	10



Easy Fit Cable Lugs

Part No.	Description	Qty
1040	35mm Lug (300amp) accepts 14mm cable – To fit 15mm stud	10
1041	50mm Lug (400amp) accepts 16mm cable – To fit 15mm stud	10



Ferrules

1070

Brass Ferrules
Qty: 10-500



Hammer On Cable Lugs

Part No.	Description	Qty
1042	70mm Lug (400amp) accepts 11mm cable – To fit 13mm stud	10
1043	95mm Lug (600amp) accepts 16mm cable – To fit 15mm stud	10



Quivers & Ovens EN 60974-1

1120-110 VOLT 1120-240 VOLT 300°C Oven

Internal Dimensions (D x W x H):

500 x 430 x 400 mm

- Robust construction
- Digital temperature control over a range of 100-300°C
- Capacity: 200 kgs
- Digital display
- Weight: 65.8 kgs

Qty: 1

1126-110 VOLT 1126-240 VOLT 500°C Oven

Internal Dimensions (D x W x H):

500 x 430 x 400 mm

- Robust construction
- Digital temperature control over a range of 0-500°C
- Capacity: 200 kgs
- Digital display
- Weight: 81.5 kgs

Qty: 1



1122

300°C Portable Oven 110/240 volt

Internal Dimensions (D x W x H):

150 x 150 x 460 mm

- Designed to operate in rugged site conditions
- Thermostatically controlled temperature range of 100-300°C
- Capacity: 22.7 kgs

Qty: 1-4



1141

Dual Voltage Quiver

Overall Dimensions (D x W x H): 500 x 120 x 110 mm

- Designed for use on installations with a 110 or 240V supply – ideal for site work
 - Will maintain an even temperature of 100°C
 - Capacity: 5 kgs
- Qty: 1

Safetube® Industrial Storage Containers

The Safetube® Industrial Storage Container is ideal for carrying Welding Electrodes.


It features a quarter turn cap for easy removal and a pressure-fitted o-ring to keep out dirt and moisture. Highly visible and with an optional adjustable carrying strap, it is also suited to a wide variety of other uses.



Part No.	Description	Qty
1119	Holds up to 4.5kg of 350mm welding electrodes	12
1125	Holds up to 6.8kg of 450mm welding electrodes	12

To purchase optional Carrying Strap order Part No. **STRAP**

Chipping Hammers



1073
Spring Handle Chipping Hammer
Qty: 10-50



1075
Rockweld Type Chipping Hammer
Qty: 5-50



1074
Tubular Handle Chipping Hammer
Qty: 5-50



1076
Wooden Handle Chipping Hammer
Qty: 5-50

Scratch Brushes



Part No.	Description	Qty
1071	Red – Mild Steel Scratch Brush	10
1072	Green – Stainless Steel Scratch Brush	10

Wire Brushes



Part No.	Description	Qty
1087	2 Row Mild Steel Wire Brush	12-120
1088	3 Row Mild Steel Wire Brush	12-120
1089	4 Row Mild Steel Wire Brush	12-120
1090	2 Row Stainless Steel Wire Brush	12-120
1091	3 Row Stainless Steel Wire Brush	12-120
1092	4 Row Stainless Steel Wire Brush	12-120
1093	4 Row Mild Steel Wire Brush with Scraper (inset above)	12-120

Arc Welding
Accessories

Welding Gauges



1045
Cam Type Welding Gauge Set
Qty: 5-50



1046
Fillet Type Welding Gauge Set
Qty: 5-50



1047
Pocket Welding Gauge Set
Qty: 5-50

Air Arc Torches, Carbons & Magnets

Air Arc Torches



Part No.	Description	Qty
1127	K3 Torch 600A (straight head) c/w 6ft monicable	1-5
1128	K5 Torch 1200A (straight head) c/w 6ft monicable	1-5



Part No.	Description	Qty
1129	K4000 Torch 1000A (angled head) c/w 6ft monicable	1-5
1130	K3000 Torch 600A (angled head) c/w 6ft monicable	1-5

Carbons

Arc Welding
Accessories




Part No.	Description	Qty
1133	5mm x 305mm Gouging Carbons ($\frac{5}{32}$ " x 12")	100
1134	6.4mm x 305mm Gouging Carbons ($\frac{1}{4}$ " x 12")	100
1135	8mm x 305mm Gouging Carbons ($\frac{9}{16}$ " x 12")	100
1136	10mm x 305mm Gouging Carbons ($\frac{3}{8}$ " x 12")	100
1137	13mm x 305mm Gouging Carbons ($\frac{1}{2}$ " x 12")	100



Part No.	Description	Qty
1131	10mm x 430mm Round Jointed Carbons ($\frac{3}{8}$ " x 17")	100
1138	13mm x 430mm Round Jointed Carbons ($\frac{1}{2}$ " x 17")	100
1139	16mm x 430mm Round Jointed Carbons ($\frac{5}{8}$ " x 17")	100
1140	19mm x 430mm Round Jointed Carbons ($\frac{3}{4}$ " x 17")	100

Magnetic Earth Clamp



FEATURES

- No jaw to open or break
- Holds on to mild steel, stainless and cast

Part No.	Description	Qty
ZY010236	300 amps	1-5

Magnetic Work Holder

Locates and holds work pieces at different angles while you weld.



FEATURES

- Sets the correct angle, holds it and frees both your hands
- Sets angles of 45°, 90° and 135°
- Strong magnet

Part No.	Description	Qty
ZY800700	Magnetic Work Holder	1-5