

Gas Cutting & Welding

10





Contents

Wescol Premium Gas Products	
Gas Regulators	000-000
Flowmeters	000
C3 torch	000
Model O Torch Set	000
CP7 Test Kit	000
Flashback Arrestors	000
Cutting Equipment	000
Accessories	000
Welding & Cutting Sets	000
Contractor's Cutting Sets	000
Nozzles	000
Welding Hose Sets	000
Welding Hose	000
Hose Fittings	000
Material Carts	000
Sack Barrows & Accessories	000
Pipe Cutting Machine	000
Straight Line Cutter	000

SUPERFLOW

Wescol  Engineered in the United Kingdom

This range of regulators is specifically designed for general purpose work. They offer a cost-effective solution in all common cutting, welding and heating environments.

Features

- Colour-coded for easier gas identification and clear pressure readings
- Valves and diaphragms tested at over 10,000,000 cycles guaranteeing long service life
- Third-party certified and approved by Apragaz to ISO 2503 to guarantee quality, performance and reliability
- Sintered bronze inlet filter protects internal parts
- Encapsulated valve with sintered bronze inlet filter protects the valve seat and internal parts
- 100% leak check, pressure test, function test and visual inspection
- Optimum coefficients of irregularity (0.18) and pressure upon closure (0.04) with optimised flow paths for minimal gas turbulence
- QR code allows digital authentication check showing testing information and inspection data
- Ergonomic, operator-friendly handwheel design for precise pressure control and tight grip when using gloves
- Outperforms EN2503 Leak Test Requirement by more than 10,000 times



Clamshell packaging improves product safety during transit and enhances product display

Gas Cutting & Welding



This QR code allows the user to check the authenticity of the product.

Once registered, the app will send the user a reminder that the regulator requires a safety check on an annual basis.

One year additional warranty will be available when the product is registered.



The clamshell packaging is 100% recyclable.

MIG Welding Regulators

ARGON/CO₂ FLOW REGULATOR

2142

Single Stage 2g Argon/CO₂ –
Side Entry – 30 lpm
Qty: 12



ARGON/CO₂ FLOW REGULATOR

2063

Single Stage Regulator Nevoc fitting
Side Entry – 30 lpm
Qty: 12



ARGON/CO₂ FLOW REGULATOR

2043

Single Stage 2g Argon/CO₂ Regulator –
30 lpm
Qty: 12



ARGON/CO₂ PRESSURE REGULATOR

2068

Single Stage 2g
Argon/CO₂
Regulator –
30 lpm
Qty: 12



Great value!

TIG Welding Regulators

ARGON FLOW REGULATOR

2044

Single Stage 1g Argon/CO₂ Regulator
Pre-set - 2 bar (requires a flowmeter)
Qty: 12



ARGON REGULATOR + FLOWMETER

2048

Single Stage 1g
Argon Regulator – Bottom Entry –
0-14 lpm
Qty: 12



ARGON REGULATOR + FLOWMETER

2049

Single Stage 1g
Argon Regulator – Bottom Entry –
0-30 lpm
Qty: 12

Flowmeters

1241

Flowmeter
CO₂ 0-40 lpm
Qty: 1-50



1242

Flowmeter
Argon 0-14 lpm
Qty: 1-50



PROCESS Pressure Regulators

CO₂ PRESSURE REGULATOR

2047

Female fitting, Single Stage 2g CO₂ Regulator – Side Entry – 4 bar
Qty: 12



NITROGEN REGULATOR

2143

Single Stage 2g Nitrogen Regulator – Side Entry – 10 bar
Qty: 12



ARGON/CO₂ PRESSURE REGULATOR

2051

Single Stage 2g Argon/CO₂ Regulator – 10 bar
Qty: 12



NITROGEN REGULATOR

2064

Single Stage Regulator – Nevoc fitting Side Entry – 10 bar
Qty: 12



NITROGEN REGULATOR

2039

Single Stage 2g Nitrogen Regulator – 10 bar
Qty: 12



HVAC REGULATOR

2062

Single Stage Inert Gas Regulator – 7/16" Outlet

- HVAC
 - Automotive
 - Load Pressure Testing
- Qty: 12



Great for aircon!

High Pressure Regulator

2061

Designed for applications where constant high pressure is required.

- For use with a range of gases
 - Component pressure testing
 - Pressurisation of pipeline systems
 - Purging and high pressure laboratory
- Qty: 1



MULTI STAGE Welding Regulators

These multi stage regulator are designed to be used where constant pressure and flows are critical. Once set, the outlet pressure and flow remain constant until the gas source is interrupted, or when the cylinder empties.

INERT GAS REGULATOR

1230

Multi Stage 2g Inert Gas Regulator
Covers: Nitrogen, Argon, Air, Helium
10 bar
Qty: 8

OXYGEN REGULATOR

1248

Multi Stage 2g Oxygen Regulator
10 bar
Qty: 8

ACETYLENE REGULATOR

1249

Multi Stage 2g Acetylene Regulator
1.5 bar
Qty: 8



CUTTING/HEATING Welding Regulators

OXYGEN PRESSURE REGULATOR

2040

Single Stage 2g Oxygen Regulator –
4 bar
Qty: 12



OXYGEN PRESSURE REGULATOR

2041

Single Stage 2g Oxygen Regulator –
10 bar
Qty: 12



OXYGEN PRESSURE REGULATOR

2056

Single Stage Plugged Oxygen Regulator –
10 bar
Qty: 12



OXYGEN PRESSURE REGULATOR

2140

Single Stage 2g Oxygen Regulator –
Side Entry – 10 bar
Qty: 12



OXYGEN PRESSURE REGULATOR

2065

Single Stage 2g Oxygen Regulator –
Nevoc Fitting – Side Entry – 10 bar
Qty: 12



PROPANE PRESSURE REGULATOR

2050

Single Stage Plugged Propane Regulator –
4 bar
Qty: 12



ACETYLENE PRESSURE REGULATOR

2042

Single Stage 2g Acetylene Regulator –
1.5 bar
Qty: 12



ACETYLENE PRESSURE REGULATOR

2141

Single Stage 2g Acetylene Regulator –
Side Entry – 1.5 bar
Qty: 12



ACETYLENE PRESSURE REGULATOR

2057

Single Stage Plugged Acetylene Regulator –
1.5 bar
Qty: 12



Model O Torch Set



2070

Contents: 1 x Shank, 1 x Neck,
5 x Tips, 1 x Instructions,
1 x Plastic Carry Case

Spare: Neck – 2071 – each
 Tip No 1 – 2072
 Tip No 2 – 2073
 Tip No 3 – 2074
 Tip No 4 – 2075
 Tip No 5 – 2076

} pack of 5 each

Gas Cutting & Welding

Flashback Arrestors EN 730-1

TYPE 83 (T83) – Regulator Mounted



2028
Oxygen
Qty: 10

FA | NV | TV



2029
Fuel Gas
Qty: 10

FA | NV | TV

TYPE 84 (T84) – Torch Mounted



2025
Oxygen
Qty: 10

FA | NV



2026
Fuel Gas
Qty: 10

FA | NV

TYPE 90 (T90) – Re-settable



1998
Oxygen
Qty: 10

FA | NV | TV | PV



1999
Fuel Gas
Qty: 10

FA | NV | TV | PV

FA = Flame Arrestor | NV = Non-Return Valve | TV = Temperature-Sensitive Cut-Off Valve | PV = Pressure-Sensitive Cut-Off Valve

Cutting Blowpipes



2036 Wescol Style NM250 18" - 90° - Qty: 10



1144 NM250 18" - 90° - Qty: 10



1144E NM250 18" - 90° - Qty: 10



2001 NM400 27" - 75° - Qty: 10



2002 NM500 36" - 75° - Qty: 10



2002-90 NM500 36" - 90° - Qty: 10

C3 Torch



- Can be run on all common fuelling systems e.g. Oxy-Acetylene, Oxy-LPG or Oxy/Natural Gas
- Designed and manufactured to comply with the requirements of ISO 5172 and its component parts are individually tested at manufacture as your guarantee of safety and reliability

- Native compatibility with the system used in different areas
 - Proprietary gas mixing system provides extreme stability and resistance to flashbacks, burn backs and blowbacks
- Qty: 10

Cutting Attachments, Mixers & Shanks



2335
L/D Lightweight Cutting Attachment
Qty: 25



2336
L/D Lightweight Mixer
Qty: 10



2334
L/D Lightweight Shank
Qty: 25



2005
D/H Lightweight Cutting Attachment
Qty: 25



2006
D/H Lightweight Mixer
Qty: 10



2004
D/H Lightweight Shank
Qty: 25



2332
H/D Cutting Attachment
Qty: 25



2333
H/D Mixer
Qty: 10



2331
H/D Shank
Qty: 25



1146
Type 4 Cutting Attachment
Qty: 25



1147
Type 4 Welding Mixer
Qty: 10



1145
Type 4 Shank
Qty: 25



2011
Type 5 Cutting Attachment
Qty: 25



2012
Type 5 Welding Mixer
Qty: 10



2014
Type 5 Propane Mixer
Qty: 10



2010
Type 5 Shank
Qty: 25

Large Circle Cutting Attachment



2031
Min / Max cut: 150 / 730mm
Qty: 1

Cylinder Adaptors



Part No.	Description	Qty
1259	RH Straight Cylinder Adaptor	1
1260	LH Straight Cylinder Adaptor	1
1265	RH Cylinder Adaptor 90°	1
1266	LH Cylinder Adaptor 90°	1

Small Circle Cutting Attachment



2030
Min / Max cut: 100 / 500mm
Qty: 1

Blowpipe Head Nut



1257
18" - 90°
Qty: 10

Regulator Spare Parts



Part No.	Description	Qty
1252	1/2" x 27 Bottle Stem	1
1254	1/4" BSP Bottle Stem	1
1258	1/2" x 26 Bottle Stem Length 92mm	1



Part No.	Description	Qty
1255	RH Cylinder Nut	1
1256	LH Cylinder Nut	1
2016	Propane Regulator Adaptor	1
W66	CO ₂ Regulator Nut	1
1261	CO ₂ to Argon Adaptor	1

Double Outlet Y-Pieces



1239
Double Outlet
Right Hand
with valves
Qty: 1-60

1240
Double Outlet
Left Hand
with valves
Qty: 1-60

Economisers



2034
Gas Economiser
Oxygen/Acetylene
Qty: 1



2045
Gas Saver
Qty: 1



Spark Lighters & Flints



1280
Pistol Spark
Lighter
Qty: 10-200

1281
Pistol Flints
Qty: 10



1282
Cup Spark
Lighter
Qty: 10-200

1283
Cup Flints
Qty: 10



1284
Triple Spark
Lighter
Qty: 10-200

1285
Triple Flints
Qty: 5



1286
Piezo Electric Lighter
Qty: 1-25

DH – Lightweight Welding & Cutting Set



2021 COMPLETE SET – INCLUDES THE FOLLOWING:

Item	Part No.	Description
(A)	2004	D/H Shank
(B)	2005	D/H Cutting Attachment
(C)	2006	D/H Mixer
(D)	1161	No. 1 Lightweight Swaged Nozzle
(E)	1162	No. 2 Lightweight Swaged Nozzle
(F)	1163	No. 3 Lightweight Swaged Nozzle
(G)	1164	No. 5 Lightweight Swaged Nozzle
(H)	1165	No. 7 Lightweight Swaged Nozzle
(I)	1166	No. 10 Lightweight Swaged Nozzle
(J)	1167	No. 13 Lightweight Swaged Nozzle
(K)	1216	Nozzle Cleaners (red lid)
(L)	2017	A-FN 1/32" Nozzle
(M)	2018	A-FN 3/64" Nozzle
(N)	1363	DF Combination Spanner

Type 5 Welding & Cutting Set



2022 COMPLETE SET – INCLUDES THE FOLLOWING:

Item	Part No.	Description
(A)	2010	Type 5 Shank
(B)	2011	Type 5 Cutting Attachment
(C)	2012	Type 5 Weld Mixer
(D)	1176	No. 1 Type 5 Swaged Nozzle
(E)	1177	No. 2 Type 5 Swaged Nozzle
(F)	1178	No. 3 Type 5 Swaged Nozzle
(G)	1179	No. 5 Type 5 Swaged Nozzle
(H)	1180	No. 7 Type 5 Swaged Nozzle
(I)	1181	No. 10 Type 5 Swaged Nozzle
(J)	1182	No. 13 Type 5 Swaged Nozzle
(K)	1216	Nozzle Cleaners (red lid)
(L)	1192	A-NMS 1/32" Nozzle
(M)	1193	A-NMS 3/64" Nozzle
(N)	1363	DF Combination Spanner

Type 5 Welding & Cutting Set – Extended



2027 COMPLETE SET

CONTENTS AS 2022 ABOVE, PLUS THESE ADDITIONAL PRODUCTS:

Item	Part No.	Description
(O)	2041	S/S 2g Oxygen Regulator 10 bar
(P)	2042	S/S 2g Acetylene Regulator 1.5 bar
(Q)	2028	Oxygen Flashback Arrestor
(R)	2029	Fuel Gas Flashback Arrestor
(S)	1282	Cup Style Spark Lighter
(T)	974	5/16" x 4m Oxygen/Acetylene Twin Hose Set – 8mm

Contractor's Cutting Sets

Oxygen/Acetylene Cutting Set (Boxed)



2037 COMPLETE SET – INCLUDES THE FOLLOWING:

Item	Part No.	Description
(B)	1144	18" - 90° Cutting Blowpipe
(B)	2056	S/S Plugged Oxygen Regulator – 10 bar
(C)	2057	S/S Plugged Acetylene Regulator – 1.5 bar
(D)	1282	Cup Spark Lighter
(E)	1363	DF Combination Spanner
(F)	2028	Oxygen Flashback Arrestor
(G)	2029	Fuel Gas Flashback Arrestor
(H)	1192	1/32" A-NMS Nozzles
(I)	1193	3/64" A-NMS Nozzles
(J)	01341	3/8" x 10m Oxygen Fitted Hose – 10mm
	A1341	3/8" x 10m Acetylene Fitted Hose – 10mm

Oxygen/Propane Cutting Set (Boxed)



2038 COMPLETE SET – INCLUDES THE FOLLOWING:

Item	Part No.	Description
(A)	1144	18" - 90° Cutting Blowpipe
(B)	2056	S/S Plugged Oxygen Regulator – 10 bar
(C)	2050	S/S Plugged Propane Regulator – 4 bar
(D)	1282	Cup Spark Lighter
(E)	1363	DF Combination Spanner
(F)	2028	Oxygen Flashback Arrestor
(G)	2029	Fuel Gas Flashback Arrestor
(H)	1192	1/32" A-NMS Nozzles
(I)	1193	3/64" A-NMS Nozzles
(J)	01341	3/8" x 10m Oxygen Fitted Hose – 10mm
	P1341	3/8" x 10m Propane Fitted Hose – 10mm

Portable Welding & Cutting Set (Boxed)



2059 COMPLETE SET – INCLUDES THE FOLLOWING:

Item	Part No.	Description
(A)	2017-18	1/32" and 3/64" A-FN Nozzles
(B)	2041	S/S Oxygen Regulator – 10 bar
(C)	1282	Cup Spark Lighter
(D)	1216	Nozzle Cleaners (red lid)
(E)	2028	Oxygen Flashback Arrestor
(F)	2029	Fuel Gas Flashback Arrestor
(G)	2005	D/H Cutting Attachment
(H)	1162-65	No. 2, 3, 5, 7 Lightweight Nozzle
(I)	2042	S/S Acetylene Regulator – 1.5 bar
(J)	1429	Panorama Coloured Goggles Indirect Shade 5
(K)	01338	1/4" x 5m Oxygen Fitted Hose – 6mm
	A1338	1/4" x 5m Acetylene Fitted Hose – 6mm
(L)	1363	DF Combination Spanner
(M)	2006	D/H Mixer
(N)	2004	D/H Shank

1269 portable trolley not supplied, please order separately

A-NM Cutting Nozzles



Part No.	Description	Qty
1192	1/32" A-NM S Nozzle (3 - 6mm plate)	1-50
1193	3/64" A-NM S Nozzle (5-12mm plate)	1-50
1194	1/16" A-NM S Nozzle (10 - 75mm plate)	1-50
1195	5/64" A-NM S Nozzle (70 - 100mm plate)	1-50
1196	3/32" A-NM S Nozzle (90 - 150mm plate)	1-50
1198	1/8" A-NM S Nozzle (140 - 300mm plate)	1-50
1185	1/32" A-NM L Nozzle (3 - 6mm plate)	1-50
1186	3/64" A-NM L Nozzle (5 - 12mm plate)	1-50
1187	1/16" A-NM L Nozzle (10 - 75mm plate)	1-50
1188	3/32" A-NM L Nozzle (90 - 150mm plate)	1-50
1189	1/8" A-NM L Nozzle (140 - 300mm plate)	1-50
1190	7/64" A-NM L Nozzle (160 - 200mm plate)	1-50

P-NM Cutting Nozzles



Part No.	Description	Qty
1204	1/32" P-NM S Nozzle (3 - 6mm plate)	1-50
1205	3/64 P-NM S Nozzle (5 - 12mm plate)	1-50
1206	1/16" P-NM S Nozzle (10 - 75mm plate)	1-50
1207	5/64" P-NM S Nozzle (70 - 100mm plate)	1-50
1208	3/32" P-NM S Nozzle (90 - 150mm plate)	1-50
1209	7/64" P-NM S Nozzle (140 - 200mm plate)	1-50
1210	1/8" P-NM S Nozzle (140 - 300mm plate)	1-50
1287	1/32" P-NM L Nozzle (3 - 6mm plate)	1-50
1288	3/64" P-NM L Nozzle (5 - 12mm plate)	1-50
1289	1/16" P-NM L Nozzle (10 - 75mm plate)	1-50
1290	3/32" P-NM L Nozzle (90 - 150mm plate)	1-50
1291	1/8" P-NM L Nozzle (190 - 300mm plate)	1-50

Acetylene Gouging Nozzles



Part No.	Description	Qty
1211	13 A-GNM Nozzle - 1/8" (6 - 8mm width x 3 - 9mm depth)	1-50
1212	19 A-GNM Nozzle - 3/16" (8 - 11mm width x 6 - 11mm depth)	1-50
1213	25 A-GNM Nozzle - 1/4" (9 - 12mm width x 9 - 12mm depth)	1-50

VVC Nozzles – Chrome Plated



Part No.	Description	Qty
1601	VVC 4/0 Nozzle (4 - 6mm plate)	1-50
1602	VVC 000 Nozzle (6 - 9mm plate)	1-50
1604	VVC 0 Nozzle (12 - 20mm plate)	1-50
1605	VVC 0 1/2" Nozzle (20 - 35mm plate)	1-50
1606	VVC 1 Nozzle (35 - 60mm plate)	1-50
1607	VVC 1 1/2" Nozzle (60 - 75mm plate)	1-50
1608	VVC 2 Nozzle (75 - 125mm plate)	1-50
1610	VVC 3 Nozzle (150 - 175mm plate)	1-50
1611	VVC 4 Nozzle (175 - 200mm plate)	1-50
1613	VVC 5 1/2" Nozzle (225 - 250mm plate)	1-50

A-FN Style Cutting Nozzles



Part No.	Description	Qty
2017	A-FN 1/32" Nozzle (3 - 6mm plate)	1-50
2018	A-FN 3/64" Nozzle (6 - 20mm plate)	1-50
2019	A-FN 1/16" Nozzle (20 - 30mm plate)	1-50
2020	A-SFN Nozzle (1 - 3mm sheet metal)	1-50

A-SNM Nozzles – Sheet Metal



Part No.	Description	Qty
1191	A-SNM Nozzle (1 - 3mm sheet metal)	1-50

Nozzle Cleaner



1216
Nozzle Cleaner
Qty: 10

Swaged Welding Nozzles



Part No.	Description	Qty
1161	No. 1 Lightweight Nozzle (up to 1.0mm)	1-10
1162	No. 2 Lightweight Nozzle (1.0 - 1.5mm)	1-10
1163	No. 3 Lightweight Nozzle (1.5 - 2.0mm)	1-10
1164	No. 5 Lightweight Nozzle (2.0 - 2.5mm)	1-10
1165	No. 7 Lightweight Nozzle (2.5 - 3.0mm)	1-10
1166	No. 10 Lightweight Nozzle (3.0 - 4.0mm)	1-10
1167	No. 13 Lightweight Nozzle (4.0 - 5.0mm)	1-10
1168	No. 18 Lightweight Nozzle (5.0 - 6.0mm)	1-10

Type 5 Swaged Welding Nozzles



Part No.	Description	Qty
1176	No. 1 Type 5 Nozzle (up to 1.0mm)	1-10
1177	No. 2 Type 5 Nozzle (1.0mm - 1.5mm)	1-10
1178	No. 3 Type 5 Nozzle (1.5mm - 2.0mm)	1-10
1179	No. 5 Type 5 Nozzle (2.0mm - 2.5mm)	1-10
1180	No. 7 Type 5 Nozzle (2.5mm - 3.0mm)	1-10
1181	No. 10 Type 5 Nozzle (3.0mm - 4.0mm)	1-10
1182	No. 13 Type 5 Nozzle (4.0mm - 5.0mm)	1-10
1183	No. 18 Type 5 Nozzle (5.0mm - 6.0mm)	1-10
1184	No. 25 Type 5 Nozzle (6.0mm - 8.0mm)	1-10

Acetylene Heating Nozzles



1292
A-HT 25 Nozzle
Qty: 1-50



1293
A-HT 50 Nozzle
Qty: 1-50



1294
A-HT 100 Nozzle
Qty: 1-50

Bent Necks

1150
Neck for A-HT Nozzles
fits Welding Mixers 1147 & 2012
Qty: 1



1151
Stainless Steel 12" Bent Neck
fits Propane Mixer 2014
Qty: 1



1152
Stainless Steel 28" Bent Neck
fits Propane Mixer 2014
Qty: 1



Propane Heating Nozzles



1217
1H Heating Nozzle
Qty: 1-50



1218
2H Heating Nozzle
Qty: 1-50



1219
3H Heating Nozzle
Qty: 1-50



1220
4H Heating Nozzle
Qty: 1-50



1221
5H Heating Nozzle
Qty: 1-25



1222
PHNM Heating Nozzle
fits Cutting Blowpipes
Qty: 1



1223
Insert for PHNM
Qty: 1-10

Fitted Oxygen/Acetylene & Oxygen/Propane Hoses

OXYGEN/ACETYLENE – MATERIAL

Tube	SBR/NR rubber compound
Reinforcement	High strength synthetic fibre
Cover	Good abrasion and weather resistant SBR/EPDM compound
Temperature	-30°C to 70°C

PROPANE – MATERIAL

Tube	High oil resistant NBR compound
Reinforcement	High strength synthetic fibre
Cover	Good abrasion and weather resistant SBR/EPDM compound
Temperature	-40°C to 70°C



OXYGEN Part No.	ACETYLENE Part No.	PROPANE Part No.	Hose Size	Length	DSCV	Regulator Nut
O1338	A1338	P1338	6mm	5m	1/4"	3/8"
O1339	A1339	P1339	6mm	10m	1/4"	3/8"
O1335	A1335	N/A	6mm	15m	1/4"	3/8"
O1325	A1325	N/A	6mm	20m	1/4"	3/8"
O1330	A1330	P1330	6mm	5m	3/8"	3/8"
O1331	A1331	P1331	6mm	10m	3/8"	3/8"
O1332	A1332	P1332	6mm	15m	3/8"	3/8"
O1333	A1333	P1333	6mm	20m	3/8"	3/8"
O1334	A1334	P1334	6mm	30m	3/8"	3/8"
O1379	A1379	P1379	8mm	5m	3/8"	3/8"
O1380	A1380	P1380	8mm	10m	3/8"	3/8"
O1383	A1383	P1381	8mm	15m	3/8"	3/8"
O1381	A1381	P1382	8mm	20m	3/8"	3/8"
O1382	A1382	P1383	8mm	30m	3/8"	3/8"
O1340	A1340	P1340	10mm	5m	3/8"	3/8"
O1341	A1341	P1341	10mm	10m	3/8"	3/8"
O1344	A1344	P1344	10mm	15m	3/8"	3/8"
O1342	A1342	P1342	10mm	20m	3/8"	3/8"
O1343	A1343	P1343	10mm	30m	3/8"	3/8"

Oxygen Hose BS EN ISO 3821

Part No.	Description	Coil	Qty
1351	1/4" (6mm) Oxygen – Blue	100m	1
1353	5/16" (8mm) Oxygen – Blue	100m	1
1355	3/8" (10mm) Oxygen – Blue	100m	1



Acetylene Hose BS EN ISO 3821

Part No.	Description	Coil	Qty
1350	1/4" (6mm) Acetylene – Red	100m	1
1352	5/16" (8mm) Acetylene – Red	100m	1
1354	3/8" (10mm) Acetylene – Red	100m	1



Propane Hose BS EN ISO 3821

Part No.	Description	Coil	Qty
1347	1/4" (6mm) Propane – Orange	100m	1
1348	5/16" (8mm) Propane – Orange	100m	1
1349	3/8" (10mm) Propane – Orange	100m	1



Twin Oxygen/Acetylene Hose BS EN ISO 3821

Part No.	Description	Coil	Qty
1344	1/4" (6mm) Twin Oxygen/Acetylene	100m	1
1345	5/16" (8mm) Twin Oxygen/Acetylene	100m	1
1346	3/8" (10mm) Twin Oxygen/Acetylene	100m	1



Twin Oxygen/Propane Hose BS EN ISO 3821

Part No.	Description	Coil	Qty
1341	1/4" (6mm) Twin Oxygen/Propane	100m	1
1342	5/16" (8mm) Twin Oxygen/Propane	100m	1
1343	3/8" (10mm) Twin Oxygen/Propane	100m	1



Argon Hose BS EN ISO 5118/2

Part No.	Description	Coil	Qty
1374	PVC 3/16" Nylon Braided Hose – 8 bar requires 3/8" O-Clip	30m	1
1327	PVC 1/4" Nylon Braided Hose – 8 bar requires 3/8" O-Clip	30m	1
1328	PVC 5/16" Nylon Braided Hose – 7 bar requires 1/2" O-Clip	30m	1
1329	PVC 3/8" Nylon Braided Hose – 7 bar requires 9/16" O-Clip	30m	1



Air Hose BS EN ISO 5118/2

Part No.	Description	Coil	Qty
1392	Black Hose 1/4" (6.3mm) 60 bar – ISO 2398/A	100m	1
1393	Black Hose 3/8" (9.5mm) 60 bar – ISO 2398/A	100m	1



Tails-Nipples BS EN 560



Part No.	Description	Qty
1316	1/4" - 1/4" Tails-Nipples	10
1317	3/8" - 1/4" Tails-Nipples	10
1318	3/8" - 5/16" Tails-Nipples	10
1319	3/8" - 3/8" Tails-Nipples	10
1238	3/8" - 3/16" Tails-Nipples	10

Nuts BS EN 560



Part No.	Description	Qty
1312	1/4" RH Nuts	10
1313	1/4" LH Nuts	10
1314	3/8" RH Nuts	10
1315	3/8" LH Nuts	10

Splicers BS EN 560



Part No.	Description	Qty
1303	1/4" (6mm) Splicer	10
1304	5/16" (8mm) Splicer	10
1305	3/8" (10mm) Splicer	10

Adaptors BS EN 560



Part No.	Description	Qty
1320	3/8" Thread - 1/4" Nut RH Bent Adaptor	10
1321	3/8" Thread - 1/4" Nut LH Bent Adaptor	10
1322	3/8" Nut - 1/4" Thread RH Straight Adaptor	10
1323	3/8" Nut - 1/4" Thread LH Straight Adaptor	10
1324	3/8" Male - 1/4" Female Adaptor	10

Couplers BS EN 560



Part No.	Description	Qty
1306	1/4" - 1/4" RH Male Coupler	10
1307	1/4" - 1/4" LH Male Coupler	10
1308	1/4" - 3/8" RH Male Coupler	10
1309	1/4" - 3/8" LH Male Coupler	10
1310	3/8" - 3/8" RH Male Coupler	10
1311	3/8" - 3/8" LH Male Coupler	10

Double Safety Check Valves BS EN 560



Part No.	Description	Qty
1295	1/4" - 1/4" RH DSC Valve	10
1296	1/4" - 1/4" LH DSC Valve	10
1297	3/8" - 1/4" RH DSC Valve	10
1298	3/8" - 1/4" LH DSC Valve	10
1299	3/8" - 5/16" RH DSC Valve	10
1300	3/8" - 5/16" LH DSC Valve	10
1301	3/8" - 3/8" RH DSC Valve	10
1302	3/8" - 3/8" LH DSC Valve	10

O-Clips



Part No.	Description	Qty
1330	7 - 9mm (5/16") O-Clip	50
1331	9 - 11mm (3/8") O-Clip	50
1332	11 - 13mm (1/2") O-Clip	50
1333	13 - 15mm (9/16") O-Clip fits 1/4" hose	50
1334	15 - 18mm (5/8") O-Clip fits 5/16" & 3/8" hose	50
1335	17 - 20mm (3/4") O-Clip	50
1336	20 - 23mm (7/8") O-Clip	50

O-Clip Pincers



1337
O-Clip Pincers
Qty: 5-60

Accessories & Sack Barrows

Gas Flow Tester

2046
Gas Flow Tester
Qty: 1-50



Combination Spanner

1363
D F Combination
Spanner
Qty: 10



Spindle Key

1364
D F Spindle Key
Qty: 50



Disposable Gas Cylinders



Part No.	Size	Description	Qty
1367	60 lt	CO ₂	12
1368	60 lt	Argon / CO ₂ – 86% Argon – 14% CO ₂	12
1369	60 lt	Argon	12


Disposable Gas Cylinder Regulator

2087
Regulator for use with
Disposable Gas Cylinders
Qty: 1



Bottle Adaptor

2024
Bottle Adaptor – large to small
Length: 0.6 m 3/8" BSP to 4mm
gas hose connection
Qty: 1



Sack Barrows

1272
Sack Barrow



Height 840 mm
Width 340 mm
Depth 190 mm



1264
Sack Barrow – Pneumatic tyres



Height 850 mm
Width 400 mm
Depth 200 mm

Cylinder Trolleys – Single

Cylinder Trolley Key

-  Propane
-  Oxygen
-  Acetylene

Spare Wheels

W001 for 1272 (see p279)

W002 for 1273 & 1275 (see p281)

W004 for 1267, 1268, (see p281)


1269, 1270 & 1271 (see p280)

W007 for 1264 (see p279)

W009 for 1274 (see p281)

1269
Portable Cylinder Trolley

- A 230-560 mm
(4 positions)
- B 380 mm
- C 170 mm



1270
Single Propane Cylinder Trolley

- A 850 mm
- B 340 mm
- C 290 mm



1271
Single Oxygen/Acetylene
Cylinder Trolley

- A 840 mm
- B 280 mm
- C 280 mm



1276
Small Cylinder Trolley
X, S, V, Y

- A 980 mm
- B 235 mm
- C 300 mm




1277
Extendable Handle Portable
Gas Kit Trolley
V, X, DA-M, K,
OXY-E

- A 645 mm (closed)
- A 960 mm (extended)
- B 395 mm
- C 185 mm



1279
Single Oxygen/Acetylene
Y-Type Cylinder Trolley

- A 660 mm
- B 470 mm
- C 190 mm



ZY040766
Single Cylinder
Trolley
T, Y, K, N, W, L,
E30, E50

- A 1200 mm
- B 305 mm
- C 230 mm



ZY040770
Small Cylinder
Stand
OXY-E, DA-K, M

- A 630 mm
- B 350 mm
- C 190 mm



Cylinder Trolleys – Twin

1267

Twin Oxygen/Acetylene
Cylinder Trolley

A 850 mm
B 590 mm
C 250 mm



1268

Twin Oxygen/Propane
Cylinder Trolley

A 850 mm
B 690 mm
C 310 mm



1273

Twin Oxygen/Acetylene Cylinder Trolley –
16" Pneumatic Tyres

A 850 mm
B 590 mm
C 250 mm



1274

Twin Oxygen/Acetylene Cylinder Trolley –
Three wheels

A 870 mm
B 590 mm
C 250 mm



1275

Twin Cylinder Trolley –
16" Pneumatic Tyres

A 850 mm
B 690 mm
C 310 mm



ZY040773

Twin Cylinder
4 Wheel Trolley
Y, W, L,
E30, E50

A 1180 mm
B 560 mm
C 310 mm



ZY040760

HD Twin Cylinder
Trolley

A 1300 mm
B 560 mm
C 300 mm



ZY040761

Twin Cylinder
Trolley
Y, T, S, M, J

A 1600 mm
B 650 mm
C 200 mm



ZY040765

Twin Cylinder
Trolley
T, Y, K, N, W, D

A 1160 mm
B 650 mm
C 260 mm



Pipe Cutter

9500
Pipe Cutter
includes 2.4m chain




9504
Spare 2.4m
Chain for 9500*

SPECIFICATIONS

Effective pipe diameter	114 - 600mm (4" - 24") by standard chain (2.4mm = 96") Over 600mm ϕ by adding extra chain*
Cutting thickness	Up to 50mm (2")
Cutting shape	Square and bevel (up to 45°)
Speed control	Single Cone System
Drive method	Manual
Nozzle	A-NML $\frac{3}{8}$ and $\frac{3}{64}$ nozzles

Straight Line Cutter

9502
Straight Line Cutter
includes 1.8m steel rail



9503
Spare 1.8m Track for 9502



9505
Circle Cutting
Attachment
for 9502

SPECIFICATIONS

Cutting thickness	5 - 50mm (1/4" - 2")
Cutting speed	150 - 800mm
Speed control	Single Cone System
Motor	1500rpm
Power source	AC 110V
Weight	9.5kg (20.9lb)
Nozzle	A-NML $\frac{1}{32}$ and $\frac{3}{64}$ nozzles