


Air Line Accessories

15





Contents

Air Line Accessories

Sanding/Polishing Pads & Belts	464
Air Adaptors / Quick Couplings	464
Composite Quick Couplings	464
Standard Air Couplings	465
Euro Air Couplings	465
Genuine PCL 60 Series Air Couplings	465
Genuine PCL 100 Series Air Couplings	465-466
Clear Braided PVC Hose	466
Rubber Whip Hoses	466
Rubber Hose Assemblies	466
UPVC Re-Coil Hoses	466
Air Hose Reels	466
Inlet Air Units, Filters & Regulators	467
Dual Scale Pressure Gauges	467
Air Adjusting Valve	467
Caulking Gun	468
Underseal Gun	468
Air Grease Gun	468
Standard Safety Tips	468
Tyre Inflator	468
Air Blow Guns	468
Lubrication Set	469
Lubrication Kit & Applicator	469
Air Line Oils	469
Magnetic Impact Wrench Holder	469

Sanding/Polishing Pads & Belts

SP01

6" Sanding Pad
Vinyl Face



SP06

5" Sanding Pad
Velcro Face



SB10L-60 60 Grit
SB10L-80 80 Grit
SB10L-120 120 Grit



SP02

6" Sanding Pad
Velcro Face



SP07

5" Sanding Pad
Vinyl Face – 6 holes



SB10-60 60 Grit
SB10-80 80 Grit
SB10-120 120 Grit



SP03

6" Sanding Pad
Velcro Face – 6 holes



SP09

2" Sanding Pad
Velcro Face



SB20-60 60 Grit
SB20-80 80 Grit
SB20-120 120 Grit



SP05

5" Sanding Pad
Vinyl Face



SP010

7" Buffing Pad



Air Adaptors / Quick Couplings

SY-211M

1/4" Male Adaptor



SY-211F

1/4" Female Adaptor



SY-210M

1/4" Male Adaptor



SY-210F

1/4" Female Adaptor



Composite Quick Couplings

Male – PT

SY-0213M 1/4"

SY-0313M 3/8"

SY-0413M 1/2"



Female – PT

SY-1213F 1/4" PT

SY-1313F 3/8" PT

SY-1413F 1/2" PT



SY-2213P 5x8

SY-2313P 6.5x10

SY-2413P 8x12



SY-3113H 10SH 1/4"

SY-3213H 20SH 5/16"

SY-3313H 30SH 3/8"

SY-3413H 40SH 1/2"



Standard Air Couplings

Standard Coupling – Male



Part No.	Size
BSM20-14	1/4"
BSM20-38	3/8"
BSM20-12	1/2"

Standard Coupling – Female



Part No.	Size
BSF20-14	1/4"
BSF20-38	3/8"
BSF20-12	1/2"

Standard Adaptor Hose Tail



Part No.	Size
BPH20-14	1/4"
BPH20-516	5/16"
BPH20-38	3/8"

Standard Adaptor – Male



Part No.	Size
BPM20-14	1/4"
BPM20-38	3/8"
BPM20-12	1/2"

Standard Adaptor – Female



Part No.	Size
BPF20-14	1/4"
BPF20-38	3/8"
BPF20-12	1/2"

Euro Air Couplings

XF High Flow Coupling – Male



Part No.	Size
ESM20-14	1/4"
ESM20-38	3/8"
ESM20-12	1/2"

XF High Flow Coupling – Female



Part No.	Size
ESF20-14	1/4"
ESF20-38	3/8"
ESF20-12	1/2"

XF High Flow Adaptor – Male



Part No.	Size
EPM20-14	1/4"
EPM20-38	3/8"
EPM20-12	1/2"

XF High Flow Adaptor – Female



Part No.	Size
EPF20-14	1/4"
EPF20-38	3/8"
EPF20-12	1/2"

Genuine PCL 60 Series Air Couplings

60 Series Coupling – Male



Part No.	Size
BSM60-14	1/4"
BSM60-38	3/8"
BSM60-12	1/2"

60 Series Coupling – Female



Part No.	Size
BSF60-14	1/4"
BSF60-38	3/8"
BSF60-12	1/2"

60 Series Adaptor Hose Tail



Part No.	Size
BPH60-38	3/8"
BPH60-12	1/2"

60 Series Adaptor – Male



Part No.	Size
BPM60-14	1/4"
BPM60-38	3/8"

60 Series Adaptor – Female



Part No.	Size
BPF60-14	1/4"
BPF60-38	3/8"

Genuine PCL 100 Series Air Couplings

100 Series Coupling – Male



Part No.	Size
BSM100-38	3/8"
BSM100-12	1/2"

100 Series Coupling – Female



Part No.	Size
BSF100-38	3/8"
BSF100-12	1/2"

100 Series Adaptor Hose Tail



Part No.	Size
BPH100-38	3/8"
BPH100-12	1/2"

100 Series Adaptor – Male



Part No.	Size
BPM100-38	3/8"
BPM100-12	1/2"

100 Series Adaptor – Female



Part No.	Size
BPF100-38	3/8"
BPF100-12	1/2"

Air Line Accessories

Male to Male Connector

Part No.	Size
DC2-14	1/4"
1310	3/8"
DC2-12	1/2"



Double Hose Tail

Part No.	Size
DHT-14	1/4"
DHT-516	5/16"
DHT-38	3/8"
DHT-12	1/2"



Twin Airflow Coupling

Part No.	Size
6103	-



Part No.	Size
JF-1	-



Mini Lubricator – Brass

Part No.	Size
EW-B42	1/4"



Mini BSP In-line Regulator

Part No.	Size
E107-3	1/4"



Male to Female Reducer

Part No.	Size M	Size F
MFR-3814	3/8"	1/4"
MFR-1214	1/2"	1/4"
MFR-1238	1/2"	3/8"



Standard Tailpiece 1/4" Male

Part No.	Size
TP-14	1/4" Bore
TP-516	5/16" Bore
TP-38	3/8" Bore
TP-12	1/2" Bore



Female to Female Reducer

Part No.	Size	Size
FFR-3814	3/8"	1/4"
FFR-1214	1/2"	1/4"



Swivel Connector 1/4"

Part No.	Size
E107-8	1/4"



Clear Braided PVC Hoses 30 metres



1374	PVC 3/16" Nylon Braided Hose – 8 Bar requires 3/8 O-Clip
1327	PVC 1/4" Nylon Braided Hose – 8 Bar requires 3/8 O-Clip
1328	PVC 5/16" Nylon Braided Hose – 7 Bar requires 1/2 O-Clip
1329	PVC 3/8" Nylon Braided Hose – 7 Bar requires 9/16 O-Clip

Rubber Whip Hoses



WH38-0514M	0.5m x 3/8" Hose c/w 1/4" BSPM Fittings
WH38-0538M	0.5m x 3/8" Hose c/w 3/8" BSPM Fittings
WH38-05A	0.5m x 3/8" Hose c/w 1/4" BSPF Fittings
WH12-05A	0.5m x 1/2" Hose c/w 1/2" BSPF Fittings
WH12-05B	0.5m x 1/2" Hose c/w 1/2" BSPF and Quick Connect Fittings

Rubber Hose Assemblies BS5118/2

- 20 Bar working pressure
- 60 Bar burst pressure



AH8-5	5m x 5/16" Hose c/w 1/4" BSP Fittings
AH8-10	10m x 5/16" Hose c/w 1/4" BSP Fittings
AH8-15	15m x 5/16" Hose c/w 1/4" BSP Fittings
AH8-20	20m x 5/16" Hose c/w 1/4" BSP Fittings
AH96-5	5m x 3/8" Hose c/w 1/4" BSP Fittings
AH96-10	10m x 3/8" Hose c/w 1/4" BSP Fittings
AH96-15	15m x 3/8" Hose c/w 1/4" BSP Fittings
AH96-20	20m x 3/8" Hose c/w 1/4" BSP Fittings
AH8-100	100m x 5/16" Hose
AH96-100	100m x 3/8" Hose
AH13-100	100m x 1/2" Hose

UPVC Re-Coil Hoses



RH14-25	1/4" UPVC Re-Coil Hose
RH38-25	3/8" UPVC Re-Coil Hose

Air Hose Reels 15 metres

- Can be mounted on wall or ceiling
- PU tube anti-explosion capability up to 300 PSI
- Convenient auto retractable hose



Part No.	Male Fitting	Hose Size	Working Pressure	Burst Pressure	Weight kg
SA-3215	1/4"	5/16" (8mm)	90 (6.3)	300 (20.7)	5.0
SA-3315	1/4"	3/8" (10mm)	90 (6.3)	300 (20.7)	6.0



AFRL80-14

1/4" Inlet Air Unit

Filter/Regulator/Lubricator

- Regulate pressure: 10-120 PSI
- Max pressure: ≤140 PSI

AFRL80-12

1/2" Inlet Air Unit

Filter/Regulator/Lubricator

- Regulate pressure: 10-120 PSI
- Max pressure: ≤140 PSI



BC2000

1/4" Inlet Air Unit

Filter/Regulator/Lubricator

- Regulate pressure: 10-120 PSI
- Max pressure: ≤140 PSI

BC4000

1/2" Inlet Air Unit

Filter/Regulator/Lubricator

- Regulate pressure: 10-120 PSI
- Max pressure: ≤140 PSI



AF80-14

1/4" Inlet Air Unit

Filter only

- Max pressure: ≤140 PSI

AF80-12

1/2" Inlet Air Unit

Filter only

- Max pressure: ≤140 PSI



AL80-14

1/4" Inlet Air Unit

Lubricator only

- Max pressure: ≤140 PSI

AL80-12

1/2" Inlet Air Unit

Lubricator only

- Max pressure: ≤140 PSI



AFR80-14

1/4" Inlet Air Unit

Filter/Regulator only

- Regulate pressure: 10-120 PSI
- Max pressure: ≤140 PSI

AFR80-12

1/2" Inlet Air Unit

Filter/Regulator only

- Regulate pressure: 10-120 PSI
- Max pressure: ≤140 PSI



AFRC-12

1/2" Pre/
Coalescing
Air Unit

Filter/Regulator

- Dual pre/coalescing filter cartridge
- 25/0.01 micron filtration
- Max pressure 10 Bar (145 PSI)



AFC-12

1/2" Pre/
Coalescing
Air Unit

Filter only

- Suitable for use when regulator is not required
- Dual pre/coalescing filter cartridge only
- 25/0.01 micron filtration



AFR6102A

Air Filter
Regulator
1/4"

- Clear polycarbonate bowl
- Manual down valve
- Supplied with gauge and wall bracket

Dual scale
pressure gauges




- Dual scale PSI and Bar
- Brass internal components
- Steel case construction
- Plastic front cover

REAR ENTRY CONNECTION

- PG001** 0-160 PSI, 40mm diameter, 1/8"
- PG002** 0-160 PSI, 50mm diameter, 1/8"
- PG003** 0-200 PSI, 50mm diameter, 1/4"
- PG004** 0-300 PSI, 50mm diameter, 1/4"

BOTTOM ENTRY CONNECTION


- PG005** 0-200 PSI, 50mm diameter, 1/4"
- PG006** 0-300 PSI, 50mm diameter, 1/4"



AG3000-03

Air Filter Regulator
3/8"

- Maximum pressure 12 Bar
- Heavy duty aluminium cast body
- Pressure reducing valve with filter and pressure gauge diameter 40mm and two in-line cocks 1/4"



AG4000-04

Air Filter Regulator
1/2"

- Maximum pressure 12 Bar
- Heavy duty aluminium cast body
- Pressure reducing valve with filter and pressure gauge diameter 50mm and two in-line cocks 1/4"



PG-03

Air Adjusting Valve
1/4"

Air Line Accessories

V-103
Caulking Gun




626
Underseal Gun



BG-1
1/4" BSP Palm Blow Gun



1/4" BSP
Blow Guns



DG-105-3 220mm
DG-105-2 150mm
DG-105-1 100mm


JC-291 / JC-292
Standard Safety Tips
To fit JC-313, JC-320, JC-340 (optional)



TG-90
1/4" BSP Tyre Inflator



JC-405, JC-412, JC-424
Air Blow Guns
Air inlet: 1/4"



JC-640
Super Air Blow Gun
Air inlet: 1/4"



Part No.	Length inch	Nozzle Pressure PSI (Bar)	Working Pressure PSI (Bar)	Maximum Consumption 1/4 Hose CFM (l/min)	Average Air Consumption 3/8 Hose CFM (l/min)	Air Hose inch	Sound Pressure dBA	Net Weight lbs (kg)
JC-405	5	75-120 (5.3-8.5)	150 (10.6)	13.0 (368)	15.0 (425)	3/8	90.0	0.24 (0.11)
JC-412	12	75-120 (5.3-8.5)	150 (10.6)	13.0 (368)	15.0 (425)	3/8	90.0	0.28 (0.13)
JC-424	24	75-120 (5.3-8.5)	150 (10.6)	13.0 (368)	15.0 (425)	3/8	90.0	0.31 (0.14)
JC-640	40	75-120 (5.3-8.5)	150 (10.6)	13.0 (368)	15.0 (425)	3/8	90.0	0.75 (0.34)



SO-10T Lubrication Set – 8 pieces

- Multi Purpose Grease
- Working Temperature: –20 to 180°C



Air Line / Compressor Oil

AIR500	5 litre Air Line Oil
AIR100	1 litre Air Line Oil
COMP500	5 litre Compressor Oil
COMP100	1 litre Compressor Oil



SG-101 Lubrication Kit + Applicator

- Multi Purpose Grease
- Working Temperature: –20 to 180°C



Air Tool Oil

- For Pneumatic Tools
- Density @ 15°C: 0.899
- Viscosity @ 40°C: 23.1cSt
- Appearance: Clear green liquid

AIR050	Air Tool Oil – 500ml
AIR025	Air Tool Oil – 250ml



SH-1001 Magnetic 1/2" Impact Wrench Holder

Other **SWP** Products

1 CONSUMABLES
Super 6 and Superon welding and brazing products for joining large fabrications and DIY use.

2 WELDING MACHINES
As well as the impressive range of Stealth machines, SWP also offer Redline Automotive and Proline Professional Mig machines.

3 FUME EXTRACTION
For workplace protection against welding fumes within the Stealth branded range of quality products supplied by SWP.

4 WELDER GENERATORS
Petrol and diesel, portable and static – all with a two-year warranty. Designed and manufactured by Genset in Italy.

5 MIG WELDING
Offers a comprehensive range of Compatible Torches, Consumables and Euro Conversion Kits.

6 TIG WELDING
A wide range of Compatible Torches, Consumables, Cables, Handles, Connectors, Adaptors and Fittings.

7 PLASMA CUTTING
Offering Compatible Torches, Consumables, Central Connectors, Circle Cutting Kits and Attachments.

8 ARC WELDING ACCESSORIES
Electrode Holders, Clamps, Connectors and other accessories – plus Ovens and Quivers.

9 ABRASIVES
Supplied by 3M and WinnerFlex, combining good quality with great value and oSa® approval.

10 GAS WELDING & CUTTING
For all you need from Regulators, Nozzles, Hoses and Fittings to Cutting Equipment.

11 SAFETY & PPE
Welding Helmets and PAPR plus a comprehensive range of quality PPE, Clothing and Workplace Protection.

12 SUMNER TOOLS
For Pipe Stands Jacks, Heads and Clamps to cover most applications from the workshop to oil fields.

13 STRONGHAND TOOLS
Including Tables, Pliers, Clamps, Magnetic Fit-Up Tools plus Markal Industrial Markers and Tempil Temperature Indicators.

14 AIR EQUIPMENT
Compressors, Spray Kits & Accessories and Mighty 7 Heavy Duty Air Tools.

16 CORDLESS TOOLS
This range is particularly suited to the auto workshop. These heavy duty tools include impact drivers, wrenches and grinders etc, plus a range of cordless kits.