



Contents

DS-201	1/4" Impact Driver – M4-M12 Bolt Capacity	474
DW-1840	¹ /2" Impact Wrench – <i>M6-M24 Bolt Capacity</i>	474
DW-402	1/2" Impact Wrench - M10-M24 Bolt Capacity	475
DW-601	3/4" Impact Wrench – M10-M27 Bolt Capacity	475
DH-101	¹ /2" Hammer Drill / Driver	476
DRS-102	Reciprocating Saw	476
DJS-101	Jig Saw	477
DG-501	Angle Grinder	477
DW-18502A	¹ /2" Impact Wrench Kit – M6-M24 Bolt Capacity	478
DW-601A	3/4" Impact Wrench Kit - M10-M27 Bolt Capacity	478
DG-501A	Angle Grinder Kit	479
DW-402A	1/2" Impact Wrench Kit – M10-M24 Bolt Capacity	479
DS-201A	1/2" Impact Driver Kit	480
DH-101A	¹ /2" Drill Driver Kit	480
DFL-101	LED Flood Light	481
DC-18A	18V Li-ion Battery Charger	481
DB-1850	18V 5.0Ah Li-ion Battery	481

Tested against the best

DS-201

1/4" Cordless Impact Driver

5.0Ah battery as standard

FEATURES

- Maximum torque 203 Nm
- Quick charge-up in 30 minutes
- Battery x 2 pieces included for a longer period of usage
- LED lamp to light up the working area
- Battery applicable to all M7 12V cordless models

DW-1840

1/2" Cordless Impact Wrench

5.0Ah battery as standard

FEATURES

- Maximum torque: 1220 Nm / 900 ft-lb
- LED lamp to light up the working area



Part No.	Chuck size inch/mm	Bolt capacity –	Battery Li-ion AH	Max. torque ft-lb / Nm	No load speed rpm	Impact rate bpm	Weight inc battery lbs / kg
DS-201	1/4 / 6.35	M4~M12	5.0	150 / 203	0-1100 / 0-1900 / 0-2800	0-1200 / 0-2350 / 0-3300	4.4 / 1.98
DW-1840	¹ /2 / 12.7	M6~M24	5.0	1220 / 900	0-1900	0-2200	7.04 / 3.2

DW-402

1/2" Cordless Impact Wrench 1700 Nm Brushless Motor

5.0Ah battery as standard

FEATURES

- BL Motor delivers 1000 ft.lbs. of Max Torque and 1,400 ft.lbs of breakaway torque
- 3-speed power selection switch (0-900/0-1,000/0-1,800 RPM & 0-1,800/0-2,000/0-2,200 IPM) provides precise fastening control
- 1/2" anvil with friction ring for quick and easy socket changes
- The BL Brushless Motor eliminates carbon brushes, enabling the BL Motor to run cooler and more efficiently for longer life
- Efficient BL Brushless motor is electronically controlled to optimise battery energy use for up to 50% longer run time per charge
- Use DB-1850P battery for best performance

DW-601

3/4" Cordless Impact Wrench 1900 Nm Brushless Motor

5.0Ah battery as standard

FEATURES

- 3-speed power selection switch provides precise fastening control
- The BL Brushless Motor eliminates carbon brushes, enabling the BL Motor to run cooler and more efficiently for longer life
- Efficient BL Brushless motor is electronically controlled to optimise battery energy use for up to 50% longer run time per charge



Part No.	Square drive inch/mm	Bolt capacity –	Max. torque ft-lb / Nm	No load speed RPM	Impact rate IPM	Weight inc battery lbs / kg
DW-402	1/2 / 12.7	M10-M24	1250 / 1700	0-900 / 0-1000 / 0-1700	0-1800 / 0-2000 / 0-2200	8.50 / 3.86
DW-601	3/4 / 19	M10-M27	1400 / 1900	0-900 / 0-1000 / 0-1800	0-1800 / 0-2000 / 0-2200	9.04 / 4.10

DH-101

1/2" Cordless Hammer Drill

Brushless Motor

5.0Ah battery as standard

FEATURES

- 2-speed metal gear box operates at 0-550/0-2,000 RPM, 0-8,000/0-32,000 IPM, and up to 800 in. lbs of torque
- Impulse function ideal for pilot drilling on glossy surfaces and removing damaged screws
- Industry-leading battery management system for optimized performance and overload protection to help battery run cooler, delivering longer runtime and extended battery life
- 1/2" ratcheting single-sleeve metal keyless chuck for easy bit changes
- Built-in LED work light helps illuminate the work area
- Electric brake quickly stops the chuck rotation

Part No.	Chuck	Max.	Free
	size	torque	speed
	inch/mm	ft-lb / Nm	RPM
DH-101	1/2 / 12.7	66.0 / 90.0	Low 0-500 / High 0-2000

BRU	SHLESS		GHTY SEVENS
Impact rate IPM	Weight inc battery	Torque Setting	Max. drill capacity Wood / Steel

0-8000 / 0-32000 4.63 / 2.10 23+1+1 60 / 13

DRS-102

Cordless Reciprocating Saw

5.0Ah battery as standard

- Tool-less shoe adjustment
- LED work light with pre-light and afterglow
- Blade can immediately stop operating when the trigger is loosened
- Safety Lock button



Part No.	Stroke Length inch/mm	Stroke per min.	Overall length inch / mm	Weight inc battery lbs / kg	Cut capacity Wood (mm) / Steel (mm)
DRS-102	1 / 25	3100	13 ³ /13 / 336	5.58 / 2.53	160 / 16

DJS-101

Cordless Jig Saw

5.0Ah battery as standard

FEATURES

- Variable speed trigger for precision speed and control
- Electric brake quickly stops the blade motion
- 4-Position orbital action for cutting versatility in a variety of materials
- Adjustable shoe bevels from 0 45 degrees (left/right)
- Tool-less blade change allows for fast blade changes – accepts 'T' and 'U' shank jigsaw blades
- LED work light

DG-501

Part No.	Stroke length	Stroke per min.	Overall length	Weight inc battery		Cut capacity	
	inch / mm	SPM	inch / mm	lbs / kg	Wood inch / mm	Aluminium inch / mm	Steel inch / m
DJS-101	1 / 25.4	2200	16 ¹ /7 / 410	7.6 / 3.45	21/2/63	³ /8 / 9.53	1/4 / 6.0



Cordless Angle Grinder Brushless motor

5.0Ah battery as standard

FEATURES

- Tool-less adjustable guard for quick and easy adjustments
- Spindle lock for quick and easy disc changes
- 3-Position handle
- Safety trigger enhances operational safety



Part No.	Stroke size	Pad dia.	Free speed	Overall lenght	Weight inc battery
		inch / mm	RPM	inch / mm	lbs / kg
DG-501	M14 x P2.0	5" / 125	8000	117/32 / 285	4.2 / 1.90

DW-18502 (KIT)

Cordless Impact Wrench

KEY SPECIFICATIONS

- Maximum torque 1220 Nm / 900 ft-lb
- Quick charge-up in 60 minutes
- 5.0 Ah battery x 2 pieces included for a longer period of usage
- LED lamp to light up the working area
- Battery level LED indicator
- Brake stop function not to damage the screwed object

CONTENTS

- 2pcs 18V 5.0 Ah Lithium-ion
- 1 piece Lithium-ion Battery Charger



Part No.	Square drive	Bolt capacity	Battery	Max. torque	No load speed	Impact rate	Weight of kit
	inch/mm	_	Li-ion AH	ft-lb / Nm	rpm	bpm	lbs / kg
DW-1840	1/2 / 12.7	M6-M24	5.0	900 / 1220	0-1900	0-2200	12.34 / 5.6

DW-601A (KIT)

Cordless Impact Wrench Brushless Motor / 1900 Nm

KEY SPECIFICATIONS

- Maximum torque: 1900 Nm / 1400 ft-lb
- Speed: 0-900 RPM / 0-1000 RPM / 0-1800 RPM
- Square Drive: 3/4"
- Accessory: 2 pieces 5.0Ah Li-ion battery + 1 piece charger
- Battery level LED indicator
- LED lamp to light up the working area
- Package: BMC



Part No.	Square	Bolt	Max.	No load	Impact	Weight
	drive	capacity	torque	speed	rate	of kit
	inch/mm	–	ft-lb / Nm	RPM	IPM	lbs / kg
DW-601	3/4 / 19	M10-M27	1400 / 1900	0-900 / 0-1000 / 0-1700	0-1800 / 0-2000 / 0-2200	16.7 / 7.56

DG-501A (KIT)

Cordless Angle Grinder

FEATURES

- Tool-less adjustable guard for quick and easy adjustments
- Spindle lock for quick and easy disc changes
- 2-Position handle
- Lock-on switch for continuous operation

KEY SPECIFICATIONS

- Power: 18V
- No Load Speed: 8000RPM
- Cutting Disk: 125mm (not included)
- Spindle thread: M14 x P2.0



Part No.	Stroke size	Pad dia.	Free speed	Overall lenght	Weight of kit
		inch / mm	RPM	inch / mm	lbs / kg
DG-501	M14 x P2.0	5 / 125	8000	11 ⁷ /32 / 285	13.22 / 6.0

DW-402A (KIT)

Cordless Impact Wrench

Brushless Motor

FEATURES

- 3 speeds with torque selection allow user to better apply the tool to the application
- Auto-stop function automatically shuts the tool down, reducing the likelihood of overdriving and damaging materials
- Impact rate: 0-1,500 / 0-2,500 / 0-3,000 IPM and up to 600 ft-lb of torque

KEY SPECIFICATIONS

- Maximum torque: 813 Nm / 600 ft-lb
- Speed: 0-1100 RPM / 0-1600 RPM / 0-2200 RPM
- Square Drive: 1/2"
- Accessory: 2pcs 5.0Ah Li-ion battery + 1 piece charger
- Battery level LED indicator
- LED lamp to light up the working area
- Package: BMC



Part No.	Square	Bolt	Max.	No load	Impact	Weight
	drive	capacity	torque	speed	rate	of kit
	inch/mm	–	ft-lb / Nm	RPM	IPM	lbs / kg
DW-402	¹ / ₂ / 12.7	M10-M24	1250 / 1700	0-900 / 0-1000 / 0-1700	0-1800 / 0-2000 / 0-2200	16.53 / 7.50

DS-201A (KIT)

Cordless Impact Driver

Brushless Motor

FEATURES

- 3 speeds with torque selection allow user to better apply the tool to the application
- Auto-stop function automatically shuts the tool down reducing the likelihood of overdriving and damaging materials
- Impact rate: 0-1,200 / 0-2,350 / 0-3,300 IPM and up to 150 ft-lb of torque

KEY SPECIFICATIONS

- Chuck Size: 6mm (¹⁶/₆₄")
- Bolt Capacity: M12
- Maximum torque: 203 NM / 150 ft-lb
- Speed: 0-1100 RPM / 0-1900 RPM / 0-2800 RPM
- Impact Rate: 0-1200 IPM / 0-2350 IPM / 0-3300 IPM
- Accessory: 2 pieces 5.0Ah Li-ion battery + 1 piece charger
- Battery level LED indicator
- LARGE RING LED lamp to light up the working area
- Package: BMC

Part No.	Chuck size inch/mm	size capacity torque		No load speed RPM	Impact rate IPM	Weight of kit lbs / kg
DS-201	1/4 / 6.3	M6-M12	150 / 203	0-1100 / 0-1900 / 0-2800	0-1200 / 0-2350 / 0-3300	12.34 / 5.60

DH-101A (KIT) Cordless Drill Driver Brushless Motor

FEATURES

- Brushless motor technology delivers longer motor life, more power and more run-time
- Jacobs® 1/2" racheting, single-sleeve keyless metal chuck
- Two speed metal gearbox operates at 0-450/0-1750 RPM
- LED work light on the foot with after-glow
- Electric brake quickly stops the chuck rotation
- Removable bit holder and belt clip

KEY SPECIFICATIONS

- Speed: 0-450 RPM / 0-1750 RPM
- Setting: 23 +1
- Max Torque: 68 Nm
- Chuck Size: 1/2"
- Accessory: 2 pieces 5.0Ah Li-ion + battery + 1 piece charger
- 2 pieces bits
- Package: BMC

Part No.	Chuck size inch/mm	Max drill capacity Steel / Wood	Max. torque ft-lb / Nm	Free speed RPM	Torque setting IPM	Weight of kit lbs / kg
DH-101	¹ / ₂ / 12.7	13 / 60	66 / 90.0	0-500 - 0-2000	23+1+1	12.87 / 5.84





480

DFL-101

Cordless LED Flood Light

KEY SPECIFICATIONS

- Bulb Type: LED
- Lumens: 180° 450 LM / 360° Low 550 LM / 360° High 850 LM
- Runtime: 180° 18 Hrs / 360° Low 20 Hrs / 360° High 10 Hrs

FEATURES

- 3-stage brightness adjustment for different environmental needs
- Use M7 general battery system
- Can provide long-term lighting needs



Battery not included

5.0Ah battery as standard


Part No.	Bulb Type	Lumens			Runtimes		
DFL-101	LED	180° 450 LM	360° – Low 550 LM	360° – High 850 LM	18 Hrs (180°)	20 Hrs (360° - Low)	10 Hrs (360° – High)

DC-18A 18V Li-ion Battery Charger

For DB-1825 / DB-1850 / DB-1850P



DB-1850 18V 5.0Ah Li-ion Battery



Other **SWP** Products

CONSUMABLES

Section for Super 6 and Superon welding and brazing, covers products for joining large fabrications and DIY use.

WELDING MACHINES

As well as the impressive range of Stealth machines, SWP also offer Redline Automotive and Proline Professional Mig machines.

FUME EXTRACTION

For workplace protection against welding fumes within the Stealth branded range of quality products supplied by SWP.

WELDER GENERATORS 1

Petrol and diesel, portable and static – all with a two-year warranty. Designed and manufactured by Genset in Ital.y

MIG WELDING 5

Offers a comprehensive range of Compatible Torches, Consumables and Euro Conversion Kits.

TIG WELDING 6

A wide range of Compatible Torches, Consumables, Cables, Handles, Connectors, Adaptors and Fittings.

PLASMA CUTTING

Offering Compatible Torches, Consumables, Central Connectors, Circle Cutting Kits and Attachments.

ARC WELDING ACCESSORIES 8

Electrode Holders, Clamps, Connectors and other accessories – plus Ovens and Quivers.

ABRASIVES

Supplied by 3M and WinnerFlex, combining good quality with great value and oSa® approval.

- **GAS WELDING & CUTTING**
- 10 For all you need from Regulators, Nozzles, Hoses and Fittings to Cutting Equipment.
- **SAFETY & PPE**
- Welding Helmets and PAPR plus a comprehensive range of quality PPE, Clothing and Workplace Protection..
- **SUMNER TOOLS** 12

For Pipe Stands Jacks, Heads and Clamps to cover most applications from the workshop to oil fields.

STRONGHAND TOOLS **13**

Including Tables, Pliers, Clamps, Magnetic Fit-Up Tools plus Markal Industrial Markers and Tempil Temperature Indicators.

AIR EQUIPMENT

Section includes, Compressors, Spray Kits & Accessories and Mighty 7 Heavy Duty Air Tools.

AIR LINE ACCESSORIES

All you need to connect to your air equipment including Couplings, Blow Guns and Hoses.